

GTIN Report

| Product # | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|---|-----------------------|-----------------|---|
| 200003001 | 10603295525783 | EMPHASYS™ KINCISE™ SYSTEM Straight Shell/Liner Impactor - Long                | Anspach (Power Tools) | EA              | <br>(01)10603295525783   |
| 200003002 | 10603295525813 | EMPHASYS™ KINCISE™ System Offset Shell/Liner Impactor                         | Anspach (Power Tools) | EA              | <br>(01)10603295525813   |
| 200003012 | 10603295525790 | EMPHASYS™ KINCISE™ System Straight Shell/Liner Impactor - Short               | Anspach (Power Tools) | EA              | <br>(01)10603295525790   |
| 200003201 | 10603295525776 | EMPHASYS™ KINCISE™ System Stem Impactor - Straight                            | Anspach (Power Tools) | EA              | <br>(01)10603295525776   |
| 200003202 | 10603295525820 | EMPHASYS™ KINCISE™ System Stem Impactor - Offset                              | Anspach (Power Tools) | EA              | <br>(01)10603295525820   |
| 200002002 | 10603295525912 | KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Long    | Anspach (Power Tools) | EA              | <br>(01)10603295525912   |
| 200002003 | 10603295525905 | KINCISE™ System Primary Hip PINNACLE™ Offset Shell/Liner Impactor             | Anspach (Power Tools) | EA              | <br>(01)10603295525905   |
| 200002005 | 10603295525899 | KINCISE™ System Primary Hip PINNACLE™ Inclination Guide                       | Anspach (Power Tools) | EA              | <br>(01)10603295525899 |
| 200002006 | 10603295525936 | KINCISE™ System Primary Hip PINNACLE™ Version Guide                           | Anspach (Power Tools) | EA              | <br>(01)10603295525936 |
| 200002012 | 10603295525929 | KINCISE™ System Primary Hip PINNACLE™ Straight Shell/Liner Impactor - Short   | Anspach (Power Tools) | EA              | <br>(01)10603295525929 |
| 200002101 | 10603295525868 | KINCISE™ System Primary Hip Femoral Broach Adapter - Curved                   | Anspach (Power Tools) | EA              | <br>(01)10603295525868 |
| 200002102 | 10603295525943 | KINCISE™ System Primary Hip Femoral Broach Adapter - Straight                 | Anspach (Power Tools) | EA              | <br>(01)10603295525943 |
| 200002202 | 10603295525851 | KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ Stem Impactor - Offset          | Anspach (Power Tools) | EA              | <br>(01)10603295525851 |
| 200002203 | 10603295525844 | KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Offset                     | Anspach (Power Tools) | EA              | <br>(01)10603295525844 |
| 200002301 | 10603295525882 | KINCISE™ System Primary Hip Femoral Head Impactor - Shaft                     | Anspach (Power Tools) | EA              | <br>(01)10603295525882 |
| 200007008 | 07612334269119 | KINCISE™ System ATTUNE™ Revision Broach Adapter                               | Anspach (Power Tools) | EA              | <br>(01)07612334269119 |
| 200002020 | 07612334268655 | KINCISE™ System Manual Handle   | Anspach (Power Tools) | EA              | <br>(01)07612334268655 |
| 200002212 | 07612334268730 | KINCISE™ System Primary Hip CORAIL™ TRI-LOCK™ SUMMIT™ Stem Impactor- Straight | Anspach (Power Tools) | EA              | <br>(01)07612334268730 |

| Product #   | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|--|-----------------------|-----------------|---|
| 2000-00-001 | 07612334268563 | KINCISE™ System Automated Surgical Handpiece V2                        | Anspach (Power Tools) | EA              | <br>(01)07612334268563   |
| 200002213   | 07612334268747 | KINCISE™ System Primary Hip ACTIS™ Stem Impactor - Straight            | Anspach (Power Tools) | EA              | <br>(01)07612334268747   |
| 200002008   | 07612334268631 | KINCISE™ System Primary Hip, Screwdriver, hexagonal, 8.0mm             | Anspach (Power Tools) | EA              | <br>(01)07612334268631   |
| 200004012   | 07612334268853 | KINCISE™ System Primary Hip Threaded Femoral STEM Extractor - M6 X 1mm | Anspach (Power Tools) | EA              | <br>(01)07612334268853   |
| MIA16-5DRM  | 00845384016588 | 5 mm x 8.4 mm Fluted Drum.   | Anspach (Power Tools) | EA              | <br>(01)00845384016588   |
| QD11-8ND    | 00845384006343 | 2.5 mm Diamond Matchstick. Use with QD11 Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384006343   |
| XL-HD       | 00845384010630 | 20.2 cm Heavy Duty Extra Long Attachment. Use with XMax, eMax Systems. | Anspach (Power Tools) | EA              | <br>(01)00845384010630   |
| SC2100      | 00845384008606 | eMax 2 Plus Console  | Anspach (Power Tools) | EA              | <br>(01)00845384008606   |
| SHORT       | 00845384008798 | 5 cm Short Attachment. Use with XMax, eMax Systems.                    | Anspach (Power Tools) | EA              | <br>(01)00845384008798  |
| SHORT-HD    | 00845384008804 | 5 cm Short Heavy Duty Attachment. Use with XMax, eMax Systems.         | Anspach (Power Tools) | EA              | <br>(01)00845384008804 |
| SC2101      | 00845384011972 | eMax 2 Plus Console, Single Port with Irrigation                       | Anspach (Power Tools) | EA              | <br>(01)00845384011972 |
| SC2102      | 00845384011989 | eMax 2 Plus Console, Single Port, No Irrigation                        | Anspach (Power Tools) | EA              | <br>(01)00845384011989 |
| CRANI-A-G1  | 00845384016410 | 15 mm Craniotome Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016410 |
| CRANI-L-G1  | 00845384016427 | 25 mm Craniotome Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016427 |
| OCM         | 00845384017493 | Otologic Curved Micro (OCM) Attachment                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017493 |
| QD11-S      | 00845384006381 | 10.5 cm Angle Attachment. Use with XMax, eMax Systems.                 | Anspach (Power Tools) | EA              | <br>(01)00845384006381 |
| QD14        | 00845384006398 | 14 cm Angle Attachment. Use with XMax, eMax Systems.                   | Anspach (Power Tools) | EA              | <br>(01)00845384006398 |
| QD14-S      | 00845384006619 | 13.5 cm Angle Attachment. Use with XMax, eMax Systems.                 | Anspach (Power Tools) | EA              | <br>(01)00845384006619 |
| QD8         | 00845384006626 | 8 cm Angle Attachment. Use with XMax, eMax Systems.                    | Anspach (Power Tools) | EA              | <br>(01)00845384006626 |
| CRANI-A     | 00845384001720 | 6.5 cm Adult Craniotome Attachment. Use with XMax, eMax Systems.       | Anspach (Power Tools) | EA              | <br>(01)00845384001720 |

| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| CRANI-P    | 00845384001775 | 6.5 cm Pediatric Craniotome Attachment. Use with XMax, eMax Systems.                   | Anspach (Power Tools) | EA              | <br>(01)00845384001775   |
| CSR60      | 00845384001782 | Perforator Driver with Hudson End, 60:1 Ratio. Use with XMax, eMax Systems.            | Anspach (Power Tools) | EA              | <br>(01)00845384001782   |
| LONG       | 00845384003571 | 11 cm Long Attachment. Use with XMax, eMax Systems.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384003571   |
| QD11       | 00845384005926 | 11 cm Angle Attachment. Use with XMax, eMax Systems.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384005926   |
| CRANI-P-G1 | 00845384016403 | 11.5 mm Craniotome Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016403   |
| QD8-S      | 00845384007159 | 7.5 cm Angle Attachment. Use with XMax, eMax Systems.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384007159   |
| ADG        | 00845384000228 | 7.2 cm Adjustable Drill Guide. Adjusts 3-6 mm increments. Use with XMax, eMax Systems. | Anspach (Power Tools) | EA              | <br>(01)00845384000228   |
| CRANI-L    | 00845384001751 | 7.5 cm Large Craniotome Attachment. Use with XMax, eMax Systems.                       | Anspach (Power Tools) | EA              | <br>(01)00845384001751   |
| EMAX2-HC   | 00845384002031 | eMax 2 and eMax 2 Plus Hand Control  | Anspach (Power Tools) | EA              | <br>(01)00845384002031  |
| EMAX2PLUS  | 00845384002055 | eMax 2 Plus Handpiece  | Anspach (Power Tools) | EA              | <br>(01)00845384002055 |
| LONG-HD    | 00845384003595 | 12.4 cm Heavy Duty Long Attachment. Use with XMax, eMax Systems.                       | Anspach (Power Tools) | EA              | <br>(01)00845384003595 |
| LONG-S     | 00845384003601 | 10.5 cm Long Attachment. Use with XMax, eMax Systems.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384003601 |
| MA-D20     | 00845384004356 | Minimal Access 20° Angle Driver. Use with XMax, eMax Systems.                          | Anspach (Power Tools) | EA              | <br>(01)00845384004356 |
| MA-DRIVER  | 00845384004370 | Minimal Access Straight Driver. Use with XMax, eMax Systems.                           | Anspach (Power Tools) | EA              | <br>(01)00845384004370 |
| MEDIUM-HD  | 00845384004905 | 8 cm Medium Heavy Duty Attachment. Use with XMax, eMax Systems.                        | Anspach (Power Tools) | EA              | <br>(01)00845384004905 |
| MIA16      | 00845384005070 | 16 cm Minimally Invasive Attachment. Use with XMax, eMax Systems.                      | Anspach (Power Tools) | EA              | <br>(01)00845384005070 |
| MEDIUM     | 00845384004899 | 8 cm Medium Attachment. Use with XMax, eMax Systems.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384004899 |
| S-SAW      | 00845384008521 | Sagittal microSaw Attachment. Use with all Anspach Systems.                            | Anspach (Power Tools) | EA              | <br>(01)00845384008521 |
| SA-JACOBS  | 00845384008538 | Small Attachment, Keyless Jacobs Chuck. Use with all Anspach Systems.                  | Anspach (Power Tools) | EA              | <br>(01)00845384008538 |
| XMAX       | 00845384010791 | XMax Handpiece   | Anspach (Power Tools) | EA              | <br>(01)00845384010791 |

| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| QD8-5D-2     | 00845384011545 | 5 mm Diamond Ball, 2 mm Shaft Exposure. Use with QD8 Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384011545   |
| QD8-5B-C-10F | 00845384011811 | 5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8 Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384011811   |
| QD11-4BA-A   | 00845384012016 | 4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384012016   |
| MO-3105      | 00845384012061 | 18.5 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment.                            | Anspach (Power Tools) | EA              | <br>(01)00845384012061   |
| MS-3105      | 00845384012092 | 18.5 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384012092   |
| QD11-5B-A    | 00845384012184 | 5 mm Fluted Ball, Less Aggressive. Use with QD11 Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384012184   |
| QD14-5B-A    | 00845384012191 | 5 mm Fluted Ball, Less Aggressive. Use with QD14 Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384012191   |
| SA-JLATCH    | 00845384008545 | Small Attachment, J-Latch. Use with all Anspach Systems.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384008545   |
| QD14-4BA     | 00845384011101 | 4 mm x 8 mm Fluted Barrel. Use with QD14 Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384011101  |
| MA19-4B      | 00845384011897 | 4 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384011897 |
| MO-3225      | 00845384012078 | 31 mm x 9 mm Oscillating Micro Blade. Use with O-SAW Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384012078 |
| MO-3515      | 00845384012085 | 42 mm x 13.3 mm Oscillating Micro Blade. Use with O-SAW Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384012085 |
| MS-3225      | 00845384012108 | 31 mm x 9 mm Sagittal Micro Blade. Use with S-SAW Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384012108 |
| MS-3515      | 00845384012115 | 42 mm x 13.3 mm Sagittal Micro Blade. Use with S-SAW Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384012115 |
| QD11-4DX-20  | 00845384012351 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD11 Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012351 |
| L-5B-A-G1    | 00845384014249 | 5 mm Fluted Ball, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014249 |
| QD11-3SD     | 00845384005995 | 3 mm Diamond Ball. Use with QD11 Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384005995 |
| QD11-5B      | 00845384006138 | 5 mm Fluted Ball. Use with QD11 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384006138 |
| QD14-8NSDC   | 00845384006602 | 3.2 mm Coarse Diamond Matchstick. Use with QD14 Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384006602 |
| QD8-1SD      | 00845384006701 | 1 mm Diamond Ball. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384006701 |

| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| QD8-6B     | 00845384007050 | 6 mm Fluted Ball. Use with QD8 Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384007050   |
| QD11-4B    | 00845384006039 | 4 mm Fluted Ball. Use with QD11 Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384006039   |
| QD11-4D    | 00845384006053 | 4 mm Diamond Ball. Use with QD11 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006053   |
| QD11-8N-18 | 00845384006336 | 1.8 mm Fluted Matchstick. Use with QD11 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006336   |
| QD14-5DC   | 00845384006527 | 5 mm Coarse Diamond Ball. Use with QD14 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006527   |
| QD8-2SB    | 00845384006756 | 2 mm Fluted Ball. Use with QD8 Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384006756   |
| QD8-3SB    | 00845384006817 | 3 mm Fluted Ball. Use with QD8 Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384006817   |
| QD11-1SB   | 00845384005940 | 1 mm Fluted Ball. Use with QD11 Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384005940   |
| QD11-1SD   | 00845384005957 | 1 mm Diamond Ball. Use with QD11 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384005957  |
| QD11-3SB   | 00845384005988 | 3 mm Fluted Ball. Use with QD11 Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384005988 |
| QD11-4DC   | 00845384006060 | 4 mm Coarse Diamond Ball. Use with QD11 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006060 |
| QD11-4OV   | 00845384006091 | 4 mm x 8 mm Fluted Oval. Use with QD11 Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384006091 |
| QD11-5DC   | 00845384006183 | 5 mm Coarse Diamond Ball. Use with QD11 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006183 |
| QD11-5DRM  | 00845384006190 | 5 mm x 8.4 mm Fluted Drum. Use with QD11 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006190 |
| QD11-5DX   | 00845384006206 | 5 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384006206 |
| QD11-6BA-A | 00845384006251 | 6 mm x 11.3 mm Fluted Barrell. Use with QD11 Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384006251 |
| QD11-6DC   | 00845384006275 | 6 mm Coarse Diamond Ball. Use with QD11 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006275 |
| QD11-8NS-M | 00845384006367 | 3 mm Fluted Matchstick, Less Aggressive. Use with QD11 Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384006367 |
| QD14-1SD   | 00845384006411 | 1 mm Diamond Ball. Use with QD14 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006411 |
| QD11-3SDC  | 00845384006008 | 3 mm Coarse Diamond Ball. Use with QD11 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006008 |

| Product #   | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|--|-----------------------|-----------------|---|
| QD14-2SD    | 00845384006428 | 2 mm Diamond Ball. Use with QD14 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006428   |
| QD14-4D     | 00845384006473 | 4 mm Diamond Ball. Use with QD14 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006473   |
| QD14-6B     | 00845384006534 | 6 mm Fluted Ball. Use with QD14 Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384006534   |
| QD14-6D     | 00845384006541 | 6 mm Diamond Ball. Use with QD14 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006541   |
| QD14-6DX    | 00845384006558 | 6 mm Extra Coarse Diamond Ball. Use with QD14 Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384006558   |
| QD14-8N-18  | 00845384006572 | 1.8 mm Fluted Matchstick. Use with QD14 Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384006572   |
| QD14-8ND    | 00845384006589 | 2.5 mm Diamond Matchstick. Use with QD14 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006589   |
| QD14-8NS    | 00845384006596 | 3 mm Fluted Matchstick. Use with QD14 Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384006596   |
| QD8-05B     | 00845384006633 | 0.5 mm Fluted Ball, Extended Length. Use with QD8 Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384006633  |
| QD8-15SD    | 00845384006664 | 1.5 mm Diamond Ball. Use with QD8 Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384006664 |
| QD8-15SDC   | 00845384006671 | 1.5 mm Coarse Diamond Ball, 120/140 Grit. Use with QD8 Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384006671 |
| QD8-1R      | 00845384006688 | 1.4 mm x 12.8 mm Fluted Router. Use with QD8 Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384006688 |
| QD8-25SB    | 00845384006725 | 2.5 mm Fluted Ball. Use with QD8 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006725 |
| QD8-25SD    | 00845384006732 | 2.5 mm Diamond Ball. Use with QD8 Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384006732 |
| QD8-2SD     | 00845384006763 | 2 mm Diamond Ball. Use with QD8 Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384006763 |
| QD8-2SDC    | 00845384006787 | 2 mm Coarse Diamond Ball. Use with QD8 Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384006787 |
| QD8-35SDC   | 00845384006800 | 3.5 mm Coarse Diamond Ball. Use with QD8 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006800 |
| QD8-3SD-100 | 00845384006848 | 3 mm Diamond Ball, 100/120 Grit. Use with QD8 Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384006848 |
| QD8-4DC     | 00845384006893 | 4 mm Coarse Diamond Ball. Use with QD8 Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384006893 |
| QD8-5DX     | 00845384007005 | 5 mm Extra Coarse Diamond Ball. Use with QD8 Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384007005 |

| Product #        | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------------|----------------|--|-----------------------|-----------------|---|
| QD8-6DC          | 00845384007081 | 6 mm Coarse Diamond Ball. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007081   |
| QD8-6DX          | 00845384007098 | 6 mm Extra Coarse Diamond Ball. Use with QD8 Attachment.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384007098   |
| QD8-7B           | 00845384007104 | 7 mm Fluted Ball. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007104   |
| QD8-8N           | 00845384007111 | 2.3 mm Fluted Matchstick. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007111   |
| QD8-8N-18        | 00845384007128 | 1.8 mm Fluted Matchstick. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007128   |
| QD8-8ND          | 00845384007135 | 2.5 mm Diamond Matchstick. Use with QD8 Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384007135   |
| QD8-8NS          | 00845384007142 | 3 mm Fluted Matchstick. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007142   |
| AUTOLUBE-III-20  | 00845384000402 | Pneumatic Foot Control, 20 Ft Hose   | Anspach (Power Tools) | EA              | <br>(01)00845384000402   |
| AUTOLUBE-III-MA7 | 00845384000464 | Pneumatic Foot Control, MA7 Adapter  | Anspach (Power Tools) | EA              | <br>(01)00845384000464  |
| CDA              | 00845384001676 | 6.8 cm Controlled Depth Attachment. Adjusts 1-4 mm increments. Use with XMax, eMax Systems.  | Anspach (Power Tools) | EA              | <br>(01)00845384001676 |
| CDA-1R           | 00845384001683 | 1.2 mm x 12.8 mm Fluted Router. Use with CDA Attachment.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384001683 |
| CRANI-L-R        | 00845384001768 | 7.5 cm Large Rotating Craniotome Attachment. Use with XMax, eMax Systems.                    | Anspach (Power Tools) | EA              | <br>(01)00845384001768 |
| LHD-6B-M         | 00845384003496 | 6 mm Fluted Ball. Use with LONG-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003496 |
| LS-3406          | 00845384003625 | 6 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.  | Anspach (Power Tools) | EA              | <br>(01)00845384003625 |
| LS-3407          | 00845384003632 | 7 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.  | Anspach (Power Tools) | EA              | <br>(01)00845384003632 |
| LS-3409          | 00845384003656 | 9 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.  | Anspach (Power Tools) | EA              | <br>(01)00845384003656 |
| LS-3411          | 00845384003670 | 11 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws. | Anspach (Power Tools) | EA              | <br>(01)00845384003670 |
| LS-3412          | 00845384003687 | 12 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws. | Anspach (Power Tools) | EA              | <br>(01)00845384003687 |
| QD11-1R          | 00845384005933 | 1.4 mm x 12.8 mm Fluted Router. Use with QD11 Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384005933 |
| QD11-2SB         | 00845384005964 | 2 mm Fluted Ball. Use with QD11 Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384005964 |

| Product #   | UDI-DI         | Product Desc  | Company                  | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|--------------------------|-----------------|---|
| QD11-2SD    | 00845384005971 | 2 mm Diamond Ball. Use with QD11 Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384005971   |
| E-HC        | 00845384016595 | Hand Control, Electric Handpiece EM                         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384016595   |
| QD11-4DX    | 00845384006084 | 4 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006084   |
| QD11-4OVDC  | 00845384006114 | 4 mm x 8 mm Coarse Diamond Oval. Use with QD11 Attachment.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006114   |
| QD11-5B-12F | 00845384006145 | 5 mm Fluted Ball, 12 Flutes. Use with QD11 Attachment.      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006145   |
| QD11-5BA-A  | 00845384006169 | 5 mm x 11.3 mm Fluted Barrel. Use with QD11 Attachment.     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006169   |
| QD11-5D     | 00845384006176 | 5 mm Diamond Ball. Use with QD11 Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006176   |
| QD11-5OV    | 00845384006213 | 5 mm x 10 mm Fluted Oval. Use with QD11 Attachment.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006213   |
| QD11-6B     | 00845384006244 | 6 mm Fluted Ball. Use with QD11 Attachment.                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006244  |
| QD11-6D     | 00845384006268 | 6 mm Diamond Ball. Use with QD11 Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006268 |
| QD11-6DX    | 00845384006282 | 6 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006282 |
| QD11-7B     | 00845384006305 | 7 mm Fluted Ball. Use with QD11 Attachment.                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006305 |
| QD11-8N     | 00845384006329 | 2.3 mm Fluted Matchstick. Use with QD11 Attachment.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006329 |
| QD11-8NS    | 00845384006350 | 3 mm Fluted Matchstick. Use with QD11 Attachment.           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006350 |
| QD11-8NSDC  | 00845384006374 | 3.2 mm Coarse Diamond Matchstick. Use with QD11 Attachment. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006374 |
| QD14-3SB    | 00845384006435 | 3 mm Fluted Ball. Use with QD14 Attachment.                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006435 |
| QD14-3SD    | 00845384006442 | 3 mm Diamond Ball. Use with QD14 Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006442 |
| QD14-47DRM  | 00845384006459 | 4.7 mm x 8 mm Fluted Drum. Use with QD14 Attachment.        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006459 |
| QD14-4B     | 00845384006466 | 4 mm Fluted Ball. Use with QD14 Attachment.                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006466 |
| QD14-4DC    | 00845384006480 | 4 mm Coarse Diamond Ball. Use with QD14 Attachment.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384006480 |



| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| QD14-4OV  | 00845384006497 | 4 mm x 8 mm Fluted Oval. Use with QD14 Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384006497   |
| QD14-5B   | 00845384006503 | 5 mm Fluted Ball. Use with QD14 Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384006503   |
| QD14-5D   | 00845384006510 | 5 mm Diamond Ball. Use with QD14 Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384006510   |
| QD14-8N   | 00845384006565 | 2.3 mm Fluted Matchstick. Use with QD14 Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384006565   |
| QD8-05SD  | 00845384006640 | 0.5 mm Diamond Ball. Use with QD8 Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384006640   |
| QD8-15SB  | 00845384006657 | 1.5 mm Fluted Ball. Use with QD8 Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384006657   |
| QD8-1SB   | 00845384006695 | 1 mm Fluted Ball. Use with QD8 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006695   |
| QD8-25SDC | 00845384006749 | 2.5 mm Coarse Diamond Ball. Use with QD8 Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384006749   |
| QD8-35SD  | 00845384006794 | 3.5 mm Diamond Ball. Use with QD8 Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384006794  |
| QD8-3SD   | 00845384006831 | 3 mm Diamond Ball. Use with QD8 Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384006831 |
| QD8-3SDC  | 00845384006855 | 3 mm Coarse Diamond Ball. Use with QD8 Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384006855 |
| QD8-4B    | 00845384006862 | 4 mm Fluted Ball. Use with QD8 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006862 |
| QD8-4D    | 00845384006886 | 4 mm Diamond Ball. Use with QD8 Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384006886 |
| QD8-4DX   | 00845384006916 | 4 mm Extra Coarse Diamond Ball. Use with QD8 Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384006916 |
| QD8-4OV   | 00845384006923 | 4 mm x 8 mm Fluted Oval. Use with QD8 Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384006923 |
| QD8-5B    | 00845384006954 | 5 mm Fluted Ball. Use with QD8 Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384006954 |
| QD8-5BA   | 00845384006978 | 5 mm x 10 mm Fluted Barrel. Use with QD8 Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384006978 |
| QD8-5D    | 00845384006985 | 5 mm Diamond Ball. Use with QD8 Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384006985 |
| QD8-5DC   | 00845384006992 | 5 mm Coarse Diamond Ball. Use with QD8 Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384006992 |
| QD8-5OV   | 00845384007012 | 5 mm x 10 mm Fluted Oval. Use with QD8 Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384007012 |

| Product #        | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|------------------|----------------|---|-----------------------|-----------------|---|
| QD8-6D           | 00845384007074 | 6 mm Diamond Ball. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007074   |
| R-SAW            | 00845384007173 | Reciprocating microSaw Attachment. Use with all Anspach Systems.                                | Anspach (Power Tools) | EA              | <br>(01)00845384007173   |
| AUTOLUBE-III     | 00845384000396 | Pneumatic Foot Control  | Anspach (Power Tools) | EA              | <br>(01)00845384000396   |
| AUTOLUBE-III-IRR | 00845384000457 | Pneumatic Foot Control for Irrigation System  | Anspach (Power Tools) | EA              | <br>(01)00845384000457   |
| CRANI-A-01       | 00845384001737 | 6.5 cm Adult Craniotome, Thin Foot Plate Attachment. Use with XMax, eMax Systems.               | Anspach (Power Tools) | EA              | <br>(01)00845384001737   |
| CRANI-A-R        | 00845384001744 | 6.5 cm Adult Rotating Craniotome Attachment. Use with XMax, eMax Systems.                       | Anspach (Power Tools) | EA              | <br>(01)00845384001744   |
| DRIVER           | 00845384001928 | Keyless Driver. Use with XMax, eMax Systems.  | Anspach (Power Tools) | EA              | <br>(01)00845384001928   |
| LS-3405          | 00845384003618 | 5 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.     | Anspach (Power Tools) | EA              | <br>(01)00845384003618   |
| LS-3408          | 00845384003649 | 8 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.     | Anspach (Power Tools) | EA              | <br>(01)00845384003649  |
| LS-3410          | 00845384003663 | 10 mm x 20 mm Graft Harvesting Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws.    | Anspach (Power Tools) | EA              | <br>(01)00845384003663 |
| MO-3001          | 00845384005315 | 28.5 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment.                            | Anspach (Power Tools) | EA              | <br>(01)00845384005315 |
| MO-3003          | 00845384005339 | 21 mm x 5.5 mm Oscillating Micro Blade. Use with O-SAW Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384005339 |
| MO-3006          | 00845384005353 | 12 MM X 5.5 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT.                              | Anspach (Power Tools) | EA              | <br>(01)00845384005353 |
| MR-0500          | 00845384005384 | 6.6 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384005384 |
| MR-0560          | 00845384005414 | 14 MM, 13 TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT.                        | Anspach (Power Tools) | EA              | <br>(01)00845384005414 |
| MR-0580          | 00845384005421 | 20 MM, TEETH/CM RECIPROCATING MICRO BLADE. USE WITH R-SAW ATTACHMENT.                           | Anspach (Power Tools) | EA              | <br>(01)00845384005421 |
| MR-0600          | 00845384005438 | 25.4 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384005438 |
| MR-14006         | 00845384005445 | 39.5 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384005445 |
| MS-3100C         | 00845384005483 | 41 mm x 14 mm Coarse Sagittal Saw Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws. | Anspach (Power Tools) | EA              | <br>(01)00845384005483 |
| MS-3101C         | 00845384005506 | 24 MM X 9.5 MM COARSE SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.                          | Anspach (Power Tools) | EA              | <br>(01)00845384005506 |

| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| MS-3102    | 00845384005513 | 24 MM X 4.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.                            | Anspach (Power Tools) | EA              | <br>(01)00845384005513   |
| MS-3104    | 00845384005520 | 15.2 mm x 9.5 mm Sagittal Micro Blade. Use with S-SAW Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384005520   |
| MS-3240    | 00845384005568 | 41 mm x 9.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B- SAGITTAL, and MM-SAGITTAL Saws. | Anspach (Power Tools) | EA              | <br>(01)00845384005568   |
| O-SAW      | 00845384005612 | Oscillating microSaw Attachment. Use with all Anspach Systems.                             | Anspach (Power Tools) | EA              | <br>(01)00845384005612   |
| MO-3002    | 00845384005322 | 34 MM X 10 MM OSCILLATING MICRO BLADE. USE WITH O-SAW ATTACHMENT.                          | Anspach (Power Tools) | EA              | <br>(01)00845384005322   |
| MO-3005    | 00845384005346 | 18.5 mm x 10 mm Oscillating Micro Blade. Use with O-SAW Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384005346   |
| MR-0520    | 00845384005391 | 22.9 mm, 9 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384005391   |
| MR-0540    | 00845384005407 | 25.1 mm, 14 Teeth/cm Reciprocating Micro Blade. Use with R-SAW Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384005407   |
| MS-3101    | 00845384005490 | 24 MM X 9.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.                            | Anspach (Power Tools) | EA              | <br>(01)00845384005490  |
| MS-3106    | 00845384005537 | 24 MM X 5.5 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.                            | Anspach (Power Tools) | EA              | <br>(01)00845384005537 |
| MS-3108    | 00845384005544 | 33 MM X 4 MM SAGITTAL MICRO BLADE. USE WITH S-SAW ATTACHMENT.                              | Anspach (Power Tools) | EA              | <br>(01)00845384005544 |
| MS-3231    | 00845384005551 | 41 mm x 19.5 mm Sagittal Saw Blade. Use with E-SAGITTAL, B-SAGITTAL, and MM-SAGITTAL Saws. | Anspach (Power Tools) | EA              | <br>(01)00845384005551 |
| SIL-15     | 00845384008897 | 3.2 mm Fluted Carbide Side Cutter. Use with B-SILVER Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384008897 |
| SIL-1510   | 00845384008903 | 1.55 mm x 10 mm Twist Drill. Use with B-SILVER Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384008903 |
| SIL-17-4C  | 00845384009016 | 4 mm Coarse Diamond Ball. Use with B-SILVER Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009016 |
| SIL-17-4CX | 00845384009023 | 4 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384009023 |
| SIL-17-5   | 00845384009030 | 5 mm Diamond Ball. Use with B-SILVER Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009030 |
| SIL-2      | 00845384009122 | 2.15 mm x 25.4 mm Fluted Router. Use with B-SILVER Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384009122 |
| SIL-23     | 00845384009160 | 14.7 mm Coring Tool. Use with B-SILVER Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009160 |
| SIL-24     | 00845384009177 | 6 mm Fluted Acorn. Use with B-SILVER Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009177 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| SIL-3-10    | 00845384009214 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with B-SILVER Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384009214   |
| SIL-32      | 00845384009221 | 7.5 mm Fluted Acorn. Use with B-SILVER Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009221   |
| SIL-38      | 00845384009238 | 9.2 mm Fluted Acorn. Use with B-SILVER Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009238   |
| SIL-464-4   | 00845384009269 | Twist Drill for 2.0 mm x 4 mm Screw. Use with B-SILVER Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384009269   |
| SIL-466-6   | 00845384009276 | Twist Drill for 2.0 mm x 6 mm Screw. Use with B-SILVER Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384009276   |
| SIL-6       | 00845384009313 | 6 mm Fluted Ball. Use with B-SILVER Attachment.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384009313   |
| SIL-8-18    | 00845384009351 | 1.8 mm Fluted Matchstick. Use with B-SILVER Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384009351   |
| SIL-14      | 00845384008873 | 25.4 mm Diamond Disc. Use with B-SILVER Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384008873   |
| SIL-DS-A    | 00845384009405 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with B-SILVER Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384009405  |
| TURQ-17-3   | 00845384009542 | 3 mm Diamond Ball. Use with B-TURQUOISE Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384009542 |
| TURQ-17-4   | 00845384009566 | 4 mm Diamond Ball. Use with B-TURQUOISE Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384009566 |
| TURQ-17-5C  | 00845384009603 | 5 mm Coarse Diamond Ball. Use with B-TURQUOISE Attachment.                            | Anspach (Power Tools) | EA              | <br>(01)00845384009603 |
| TURQ-17-6   | 00845384009627 | 6 mm Diamond Ball. Use with B-TURQUOISE Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384009627 |
| TURQ-406-6  | 00845384009672 | Twist Drill for 1.25 mm x 6 mm Screw. Use with B-TURQUOISE Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384009672 |
| TURQ-434-4  | 00845384009689 | Twist Drill for 1.5 mm x 4 mm Screw. Use with B-TURQUOISE Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384009689 |
| TURQ-5      | 00845384009702 | 5 mm Fluted Ball. Use with B-TURQUOISE Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009702 |
| TURQ-6      | 00845384009719 | 6 mm Fluted Ball. Use with B-TURQUOISE Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009719 |
| TURQ-L17-3  | 00845384009832 | 3 mm Diamond Ball. Use with B-TURQ-L Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384009832 |
| TURQ-L17-4  | 00845384009856 | 4 mm Diamond Ball. Use with B-TURQ-L Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384009856 |
| TURQ-L17-4C | 00845384009863 | 4 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384009863 |

| Product #    | UDI-DI         | Product Desc   | Company                  | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|--------------------------|-----------------|---|
| TURQ-L17-5   | 00845384009887 | 5 mm Diamond Ball. Use with B-TURQ-L Attachment.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384009887   |
| TURQ-L17-5C  | 00845384009894 | 5 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384009894   |
| TURQ-L17-6C  | 00845384009924 | 6 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384009924   |
| TURQ-L17-6CX | 00845384009931 | 6 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.          | Anspach<br>(Power Tools) | EA              | <br>(01)00845384009931   |
| TURQ-L3      | 00845384009962 | 3 mm Fluted Ball. Use with B-TURQ-L Attachment.                        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384009962   |
| TURQ-L6      | 00845384010012 | 6 mm Fluted Ball. Use with B-TURQ-L Attachment.                        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010012   |
| TURQ-L8      | 00845384010029 | 3 mm Fluted Matchstick. Use with B-TURQ-L Attachment.                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010029   |
| TURQ-L8-18   | 00845384010036 | 1.8 mm Fluted Matchstick. Use with B-TURQ-L Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010036   |
| TURQ-L8-L    | 00845384010050 | 3 mm Fluted Matchstick, Extends 20.8 mm. Use with B-TURQ-L Attachment. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010050  |
| TURQ-L8D-25  | 00845384010074 | 2.5 mm Diamond Matchstick. Use with B-TURQ-L Attachment.               | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010074 |
| TURQ-L9-58   | 00845384010098 | 5 mm x 8.4 mm Fluted Drum. Use with B-TURQ-L Attachment.               | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010098 |
| VIO-17-3     | 00845384010173 | 3 mm Diamond Ball. Use with B-VIOLET Attachment.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010173 |
| VIO-17-4     | 00845384010197 | 4 mm Diamond Ball. Use with B-VIOLET Attachment.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010197 |
| VIO-17-5     | 00845384010227 | 5 mm Diamond Ball. Use with B-VIOLET Attachment.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010227 |
| VIO-17-6CX   | 00845384010272 | 6 mm Extra Coarse Diamond Ball. Use with B-VIOLET Attachment.          | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010272 |
| VIO-2        | 00845384010289 | 2.15 mm x 25.4 mm Fluted Router. Use with B-VIOLET Attachment.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010289 |
| VIO-24       | 00845384010296 | 6 mm Fluted Acorn. Use with B-VIOLET Attachment.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010296 |
| VIO-2XL      | 00845384010319 | 3.05 mm x 38.2 mm Fluted Router. Use with B-VIOLET Attachment.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010319 |
| VIO-32       | 00845384010333 | 7.5 mm Fluted Acorn. Use with B-VIOLET Attachment.                     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010333 |
| VIO-38       | 00845384010340 | 9.2 mm Fluted Acorn. Use with B-VIOLET Attachment.                     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010340 |

| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| VIO-40-5   | 00845384010388 | 5 mm x 10 mm Fluted Oval. Use with B-VIOLET Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384010388   |
| VIO-5      | 00845384010418 | 5 mm Fluted Ball. Use with B-VIOLET Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010418   |
| VIO-6      | 00845384010425 | 6 mm Fluted Ball. Use with B-VIOLET Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010425   |
| VIO-8      | 00845384010470 | 3 mm Fluted Matchstick. Use with B-VIOLET Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384010470   |
| VIO-8-18   | 00845384010487 | 1.8 mm Fluted Matchstick. Use with B-VIOLET Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384010487   |
| VIO-8-M    | 00845384010494 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-VIOLET Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384010494   |
| TURQ-L5    | 00845384010005 | 5 mm Fluted Ball. Use with B-TURQ-L Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010005   |
| SIL-0      | 00845384008828 | 1.12 mm x 6.35 mm Fluted Router. Use with B-SILVER Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384008828   |
| SIL-1      | 00845384008835 | 1.85 mm x 16 mm Fluted Router. Use with B-SILVER Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384008835  |
| SIL-10     | 00845384008859 | 9.5 mm Fluted Drum. Use with B-SILVER Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384008859 |
| SIL-14-17  | 00845384008880 | 17 mm Diamond Disc. Use with B-SILVER Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384008880 |
| SIL-16XL2  | 00845384008934 | 6.7 mm x 45 mm Coring Tool. Use with B-SILVER Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384008934 |
| SIL-17-3   | 00845384008989 | 3 mm Diamond Ball. Use with B-SILVER Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384008989 |
| SIL-17-4   | 00845384009009 | 4 mm Diamond Ball. Use with B-SILVER Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384009009 |
| SIL-17-5CX | 00845384009054 | 5 mm Extra Coarse Diamond Ball. Use with B-SILVER Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384009054 |
| SIL-17-6   | 00845384009061 | 6 mm Diamond Ball. Use with B-SILVER Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384009061 |
| SIL-2XL    | 00845384009191 | 3.05 mm x 38.2 mm Fluted Router. Use with B-SILVER Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384009191 |
| SIL-3      | 00845384009207 | 3 mm Fluted Ball. Use with B-SILVER Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384009207 |
| SIL-39     | 00845384009245 | 5 mm Fluted Acorn. Use with B-SILVER Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384009245 |
| SIL-4      | 00845384009252 | 4 mm Fluted Ball. Use with B-SILVER Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384009252 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| SIL-47       | 00845384009283 | 6.2 mm Fluted Bell, Side Cut Only. Use with B-SILVER Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384009283   |
| SIL-5        | 00845384009290 | 5 mm Fluted Ball. Use with B-SILVER Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009290   |
| SIL-7        | 00845384009320 | 7 mm Fluted Ball. Use with B-SILVER Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009320   |
| SIL-7-9      | 00845384009337 | 9 mm Fluted Ball. Use with B-SILVER Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009337   |
| SIL-8        | 00845384009344 | 3 mm Fluted Matchstick. Use with B-SILVER Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384009344   |
| SIL-9        | 00845384009382 | 6.4 mm Fluted Drum. Use with B-SILVER Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009382   |
| TURQ-1       | 00845384009504 | 1.4 mm x 12.8 mm Fluted Router. Use with B-TURQUOISE, B-TURQ-X, or B-TURQ-CDA Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384009504   |
| TURQ-17-2    | 00845384009528 | 2 mm Diamond Ball. Use with B-TURQUOISE Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009528   |
| TURQ-3       | 00845384009641 | 3 mm Fluted Ball. Use with B-TURQUOISE Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009641  |
| TURQ-4       | 00845384009658 | 4 mm Fluted Ball. Use with B-TURQUOISE Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009658 |
| TURQ-436-6   | 00845384009696 | Twist Drill for 1.5 mm x 6 mm Screw. Use with B-TURQUOISE Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384009696 |
| TURQ-8       | 00845384009733 | 3 mm Fluted Matchstick. Use with B-TURQUOISE Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384009733 |
| TURQ-L1      | 00845384009788 | 1.4 mm x 12.8 mm Fluted Router. Use with B-TURQ-L Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384009788 |
| TURQ-L17-2   | 00845384009818 | 2 mm Diamond Ball. Use with B-TURQ-L Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384009818 |
| TURQ-L17-3C  | 00845384009849 | 3 mm Coarse Diamond Ball. Use with B-TURQ-L Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384009849 |
| TURQ-L17-4CX | 00845384009870 | 4 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384009870 |
| TURQ-L17-5CX | 00845384009900 | 5 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384009900 |
| TURQ-L17-7CX | 00845384009955 | 7 mm Extra Coarse Diamond Ball. Use with B-TURQ-L Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384009955 |
| TURQ-L4      | 00845384009979 | 4 mm Fluted Ball. Use with B-TURQ-L Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384009979 |
| TURQ-L8-23   | 00845384010043 | 2.3 mm Fluted Matchstick. Use with B-TURQ-L Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384010043 |

| Product #        | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------------|----------------|--|-----------------------|-----------------|---|
| TURQ-L8-M        | 00845384010067 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-TURQ-L Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384010067   |
| VIO-3            | 00845384010326 | 3 mm Fluted Ball. Use with B-VIOLET Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010326   |
| VIO-4            | 00845384010364 | 4 mm Fluted Ball. Use with B-VIOLET Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010364   |
| VIO-40-4         | 00845384010371 | 4 mm x 8 mm Fluted Oval. Use with B-VIOLET Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384010371   |
| VIO-7-2          | 00845384010456 | 2 mm Fluted Ball. Use with B-VIOLET Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384010456   |
| VIO-87-5         | 00845384010500 | 5 mm x 10 mm Fluted Barrel. Use with B-VIOLET Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384010500   |
| EM-1961-11-FP    | 00845384012306 | IV Pole for Console (REPLACEMENT PART)                                 | Anspach (Power Tools) | EA              | <br>(01)00845384012306   |
| GREY-471-50      | 00845384002192 | 1.1 mm Twist Drill for 1.5 mm Screw. Use with B-GREY-ADG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384002192   |
| GRE-1            | 00845384002154 | 1.85 mm x 16 mm Fluted Router. Use with B-GREEN Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384002154  |
| RED-2            | 00845384007234 | 2.15 mm x 25.4 mm Fluted Router. Use with B-RED Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384007234 |
| RED-32           | 00845384007265 | 7.5 mm Fluted Acorn. Use with B-RED Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384007265 |
| RED-8            | 00845384007333 | 3 mm Fluted Matchstick. Use with B-RED Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384007333 |
| RED-9            | 00845384007340 | 6.4 mm Fluted Drum. Use with B-RED Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384007340 |
| AUTOLUBE-III-FG7 | 00845384000433 | Pneumatic Foot Control, Foot Guard and MA7 Adapter                     | Anspach (Power Tools) | EA              | <br>(01)00845384000433 |
| BLA-15           | 00845384000945 | 3.2 mm Fluted Carbide Side Cutter. Use with B-BLACK Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384000945 |
| BLA-2            | 00845384000952 | 2.15 mm x 25.4 mm Fluted Router. Use with B-BLACK Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384000952 |
| BLA-51           | 00845384001027 | 6.4 mm Fluted Cylindrical Carbide. Use with B-BLACK Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384001027 |
| BLU-32           | 00845384001294 | 7.5 mm Fluted Acorn. Use with B-BLUE-S Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384001294 |
| BLU-51           | 00845384001362 | 6.4 mm Fluted Cylindrical Carbide. Use with B-BLUE-S Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384001362 |
| BLU-8            | 00845384001409 | 3 mm Fluted Matchstick. Use with B-BLUE-S Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384001409 |



| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| BLU-8-18    | 00845384001416 | . Use with B-BLUE-S Attachment.1.8 mm Fluted Matchstick   | Anspach (Power Tools) | EA              | <br>(01)00845384001416   |
| BLU-8D-32C  | 00845384001447 | 3.7 mm Coarse Diamond Matchstick. Use with B-BLUE-S Attachment.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384001447   |
| BLU-9       | 00845384001454 | 6.4 mm Fluted Drum. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001454   |
| BLU-9DCX    | 00845384001492 | 6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with B-BLUE-S Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384001492   |
| GOL-2       | 00845384002130 | 2.5 mm x 25.4 mm Fluted Router. Use with B-GOLD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384002130   |
| GOL-2S      | 00845384002147 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with B-GOLD Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384002147   |
| GREY-471-25 | 00845384002185 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with B-GREY-ADG Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384002185   |
| LONG-01     | 00845384003588 | 10.5 cm Long Attachment, Non-Tapered End. Use with XMax, eMax Systems.                                | Anspach (Power Tools) | EA              | <br>(01)00845384003588   |
| S-62DRM-G1  | 00845384015840 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015840  |
| BLA-1       | 00845384000907 | 1.85 mm x 16 mm Fluted Router. Use with B-BLACK Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384000907 |
| BLA-10      | 00845384000914 | 9.5 mm Fluted Drum. Use with B-BLACK Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384000914 |
| BLA-5       | 00845384001010 | 5 mm Fluted Ball. Use with B-BLACK Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384001010 |
| BLA-9       | 00845384001072 | 6.4 mm Fluted Drum. Use with B-BLACK Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384001072 |
| BLU-10      | 00845384001157 | 9.5 mm Fluted Drum. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001157 |
| BLU-7       | 00845384001386 | 7 mm Fluted Ball. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001386 |
| BLU-8-M     | 00845384001423 | 3 mm Fluted Matchstick, Less Aggressive. Use with B-BLUE-S Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384001423 |
| BLU-8D-32   | 00845384001430 | 3.2 mm Diamond Matchstick. Use with B-BLUE-S Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384001430 |
| BLU-CS5     | 00845384001515 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384001515 |
| BLU-LS9-35  | 00845384001560 | 3.5 mm x 19.8 mm Fluted Drum. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001560 |
| BLU-LS9-5   | 00845384001577 | 4.7 mm x 20 mm Fluted Drum. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001577 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| BLU-LS9-5E   | 00845384001584 | 4.7 mm x 20 mm Fluted Drum, Side Cut Only. Use with B-BLUE-S Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384001584   |
| GRE-1S       | 00845384002178 | 2.15 mm x 22 mm Fluted Spiral Router. Use with B-GREEN Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384002178   |
| GREY-MIA20-7 | 00845384002413 | 7 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384002413   |
| MRA-8S       | 00845384005476 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-S Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384005476   |
| GREY-MIA20-4 | 00845384002406 | 4 mm Fluted Ball. Use with B-GREY-MIA20 Attachment. Use with B-GREY-MIA20 Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384002406   |
| MRA-8L       | 00845384005452 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-L Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384005452   |
| MRA-8M       | 00845384005469 | 2.3 mm x 4.5 mm Fluted Matchstick. Use with B-MRA-M Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384005469   |
| ORNG-1       | 00845384005704 | 11.1 mm Fluted Router. Use with ORANGE Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384005704   |
| ORNG-1275    | 00845384005711 | 1.2 mm x 7.5 mm Twist Drill. Use with ORANGE Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384005711  |
| ORNG-8-18    | 00845384005766 | 1.8 mm Fluted Matchstick. Use with ORANGE Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384005766 |
| S-15SDC-G1   | 00845384014621 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014621 |
| S-06SD-G1    | 00845384014645 | 0.6 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014645 |
| M-6P-G1      | 00845384014706 | 6 mm x 9 mm Fluted Pear. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384014706 |
| S-6IP-G1     | 00845384014713 | 6 mm x 11.8 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014713 |
| S-6D-100-G1  | 00845384014737 | 6 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014737 |
| M-5BA-A-G1   | 00845384014805 | 5 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384014805 |
| S-5OV-G1     | 00845384014812 | 5 mm x 10 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384014812 |
| L-5BA-G1     | 00845384014829 | 5 mm x 10 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384014829 |
| S-5D-100-G1  | 00845384014836 | 5 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014836 |
| XLHD-55DC-G1 | 00845384014867 | 5.5 mm Coarse Diamond Ball. Use with XL-HD-G1, XL-HD Attachments.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384014867 |

| Product #     | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|--|-----------------------|-----------------|---|
| M-4OVDC-G1    | 00845384014881 | 4 mm x 8 mm Coarse Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384014881   |
| S-4DRM-G1     | 00845384014898 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384014898   |
| XLHD-8NS-M-G1 | 00845384014904 | 3 mm Fluted Matchstick, Less Aggressive. Use with XL-HD-G1, XL-HD Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384014904   |
| M-15D-G1      | 00845384014973 | 1.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014973   |
| S-08SD-G1     | 00845384014997 | 0.8 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384014997   |
| XLHD-9B-G1    | 00845384015017 | 9 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015017   |
| MHD-19CT-G1   | 00845384015024 | 9.9 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384015024   |
| LHD-95DRM-G1  | 00845384015031 | 9.5 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015031   |
| L-7DRC-G1     | 00845384015048 | 7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015048  |
| L-7DRC-11-G1  | 00845384015062 | 7 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384015062 |
| XLHD-7B-G1    | 00845384015079 | 7 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015079 |
| S-6PD-G1      | 00845384015130 | 6 mm x 9 mm Diamond Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384015130 |
| L-6B-4-G1     | 00845384015154 | 6 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015154 |
| MHD-6B-G1     | 00845384015185 | 6 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384015185 |
| MIA16-6DC-G1  | 00845384015208 | 6 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384015208 |
| MA19-2SB      | 00845384011859 | 2 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384011859 |
| MA19-2SD      | 00845384011866 | 2 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384011866 |
| MA19-3SB      | 00845384011873 | 3 mm Fluted Ball, 19 cm. Use with MA-19 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384011873 |
| MA19-8NS      | 00845384011934 | 3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384011934 |
| MA19-8NSDC    | 00845384011941 | 3 mm Coarse Diamond Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.                               | Anspach (Power Tools) | EA              | <br>(01)00845384011941 |

| Product #     | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|---|-----------------------|-----------------|---|
| HE-4005-10-FP | 00845384012313 | Power Cord, Hospital Grade, 10 Ft, for Console and Irrigation Pump (REPLACEMENT PART)                               | Anspach (Power Tools) | EA              | <br>(01)00845384012313   |
| M-6B-4-G1     | 00845384013242 | 6 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384013242   |
| M-5B-4-G1     | 00845384013297 | 5 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384013297   |
| SHD-DS-A-G1   | 00845384013495 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap max. 60,000 RPM. Use with SHORT-HD-G1, SHORT-HD Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013495   |
| M-5AC-G1      | 00845384013617 | 5 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384013617   |
| SHD-3-10-G1   | 00845384013778 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD-G1, SHORT-HD Attachments.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384013778   |
| LHD-7B-G1     | 00845384013839 | 7 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384013839   |
| L-6DRC-G1     | 00845384013860 | 6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384013860   |
| LHD-6B-G1     | 00845384013884 | 6 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384013884  |
| LHD-8NS-M-G1  | 00845384013945 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG-HD-G1, LONG-HD Attachments.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384013945 |
| LHD-3SB-G1    | 00845384013976 | 3 mm Fluted Ball, Standard Length. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013976 |
| S-35SB-G1     | 00845384014027 | 3.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384014027 |
| S-2004TD-G1   | 00845384014171 | Twist Drill for 2.0 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384014171 |
| XLHD-75AC-G1  | 00845384014188 | 7.5 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384014188 |
| L-68DRMDX-G1  | 00845384014201 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384014201 |
| M-5BA-20-G1   | 00845384014218 | 5 mm x 20 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384014218 |
| LHD-5DRM-L-G1 | 00845384014225 | 5 mm x 16.2 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014225 |
| L-5B-4-G1     | 00845384014256 | 5 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384014256 |
| S-5B-12F-G1   | 00845384014263 | 5 mm Fluted Ball, 12 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384014263 |
| LHD-5B-G1     | 00845384014270 | 5 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014270 |

| Product #     | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|--|-----------------------|-----------------|---|
| L-4BA-G1      | 00845384014294 | 4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384014294   |
| M-4DRM-G1     | 00845384014317 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014317   |
| L-4B-4-G1     | 00845384014331 | 4 mm Fluted Ball, 4-Series. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                     | Anspach (Power Tools) | EA              | <br>(01)00845384014331   |
| MIA16-8NSM-G1 | 00845384014393 | 3 mm Fluted Matchstick, Less Aggressive. Use with MIA16-G1, MIA16 Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384014393   |
| MHD-126BT-G1  | 00845384014614 | 12.6 mm x 10.4 mm Boring Tool, 3 Flutes. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                     | Anspach (Power Tools) | EA              | <br>(01)00845384014614   |
| S-05B-G1      | 00845384014652 | 0.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014652   |
| S-2006TD-G1   | 00845384014669 | Twist Drill for 2.0 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014669   |
| L-8BA-G1      | 00845384014676 | 8 mm x 12.5 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384014676   |
| M-8BA-G1      | 00845384014683 | 8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384014683  |
| S-68DRMDC-G1  | 00845384014751 | 6.8 mm x 10.6 mm Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384014751 |
| MHD-62DRM-G1  | 00845384014782 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384014782 |
| MIA16-5D-G1   | 00845384014843 | 5 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014843 |
| S-1506TD-M-G1 | 00845384014966 | 1.5 mm x 6 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384014966 |
| S-7IP-G1      | 00845384015055 | 7 mm x 13.1 mm Fluted Pear, Inverted. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384015055 |
| S-7B-C-14F-G1 | 00845384015093 | 7 mm Carbide Fluted Ball, 14 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384015093 |
| LHD-LS9-76-G1 | 00845384015109 | 7.6 mm x 28.6 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384015109 |
| M-6DX-20-G1   | 00845384015116 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015116 |
| M-6BA-A-G1    | 00845384015147 | 6 mm x 11.3 mm Fluted Barrel. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015147 |
| MIA16-6B-G1   | 00845384015178 | 6 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015178 |
| MA19-15SD     | 00845384011842 | 1.5 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384011842 |

| Product #     | UDI-DI         | Product Desc  | Company                  | Unit of Measure | UDI Barcode   |
|---------------|----------------|---|--------------------------|-----------------|---|
| MA19-3SD      | 00845384011880 | 3 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011880   |
| MA19-8N       | 00845384011910 | 2.3 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011910   |
| MA19-8N-18    | 00845384011927 | 1.8 mm Fluted Matchstick, 19 cm. Use with MA-19 Bearing Sleeves.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011927   |
| 16-3100-FP    | 00845384012276 | Console Indicator Label<br>(REPLACEMENT PART)   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012276   |
| 45-0432-FP    | 00845384012320 | Ferrite Broadband Clamp On, 9.00 mm, for Power Cord<br>(REPLACEMENT PART)                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012320   |
| SHD-75AC-A-G1 | 00845384013235 | 7.5 mm Fluted Acorn, Less Aggressive. Use with SHORT-HD-G1, SHORT-HD Attachments.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013235   |
| XLHD-95DRM-G1 | 00845384013808 | 9.5 mm Fluted Drum. Use with XL-HD-G1, XL-HD Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013808   |
| MHD-98B-G1    | 00845384013815 | 9.5 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013815   |
| MHD-6AC-G1    | 00845384013891 | 6 mm Fluted Acorn. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013891  |
| S-5B-2-G1     | 00845384013914 | 5 MM FLUTED BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013914 |
| S-3SD-100-G1  | 00845384013983 | 3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384013983 |
| M-1R-4-G1     | 00845384014164 | 1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.    | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014164 |
| M-5B-A-G1     | 00845384014232 | 5 mm Fluted Ball, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014232 |
| L-4BA-S-G1    | 00845384014300 | 4 mm x 8 mm Fluted Barrel. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014300 |
| M-4B-4-G1     | 00845384014348 | 4 mm Fluted Ball, 4-Series. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014348 |
| S-4D-100-G1   | 00845384014362 | 4 mm Diamond Ball, 100/120 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014362 |
| LHD-LS9-5-G1  | 00845384014386 | 4.7 mm x 20 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.                                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014386 |
| LHD-LS9-35-G1 | 00845384014430 | 3.5 mm x 19.8 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.                                     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014430 |
| S-8NSD-G1     | 00845384014447 | 3.2 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014447 |
| S-2SBT-G1     | 00845384014454 | 2 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014454 |

| Product #     | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|--|-----------------------|-----------------|---|
| S-2SD-120-G1  | 00845384014461 | 2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014461   |
| S-25SD-G1     | 00845384014515 | 2.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384014515   |
| S-25DC-G1     | 00845384014522 | 2.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014522   |
| S-68DRMDX-G1  | 00845384015239 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384015239   |
| S-5BA-G1      | 00845384015345 | 5 mm x 10 mm Fluted Barrel. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384015345   |
| L-4DRM-G1     | 00845384015376 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015376   |
| LHD-4B-G1     | 00845384015406 | 4 mm Fluted Ball. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015406   |
| MIA16-4DC-G1  | 00845384015413 | 4 mm Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015413   |
| L-47DRM-G1    | 00845384015451 | 4.7 mm x 8 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384015451  |
| MHD-3DRMC-G1  | 00845384015468 | 3 mm x 9.5 mm Fluted Carbide Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384015468 |
| M-3BA-A-G1    | 00845384015475 | 3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384015475 |
| MIA16-3SB-G1  | 00845384015512 | 3 mm Fluted Ball, Standard Length. Use with MIA16-G1, MIA16 Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015512 |
| M-3SB-2-G1    | 00845384015543 | 3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384015543 |
| M-35SD-G1     | 00845384015574 | 3.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015574 |
| S-2433TD-G1   | 00845384015628 | 2.4 mm x 3.3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384015628 |
| M-1DC-G1      | 00845384015659 | 1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384015659 |
| MHD-97B-G1    | 00845384015673 | 12.6 mm Boring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015673 |
| S-15DRMC-L-G1 | 00845384015697 | 1.5 mm x 7.5 mm Cylindrical Carbide Drum, Extends 25 mm. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015697 |
| SHD-1504TD-G1 | 00845384015741 | 1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD-G1, SHORT-HD Attachments.                           | Anspach (Power Tools) | EA              | <br>(01)00845384015741 |
| S-05SD-G1     | 00845384015758 | 0.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384015758 |

| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| L-9DRC-G1    | 00845384015765 | 9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384015765   |
| L-8DRC-G1    | 00845384015796 | 8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384015796   |
| L-8DRC-11-G1 | 00845384015802 | 8 mm x 11 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384015802   |
| XLHD-6AC-G1  | 00845384015819 | 6 mm Fluted Acorn. Use with XL-HD-G1, XL-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015819   |
| MIA16-6DX-G1 | 00845384015826 | 6 mm Extra Coarse Diamond Ball. Use with MIA16-G1, MIA16 Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384015826   |
| SHD-6DX-G1   | 00845384015833 | 6 mm Extra Coarse Diamond Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384015833   |
| S-62BE-G1    | 00845384015857 | 6.2 mm Fluted Bell, Side Cut Only. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384015857   |
| M-5B-2-G1    | 00845384015871 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384015871   |
| M-5B-12F-G1  | 00845384015888 | 5 mm Fluted Ball, 12 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384015888  |
| XLHD-5B-G1   | 00845384015895 | 5 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015895 |
| S-5DC-22-G1  | 00845384015925 | 5 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                         | Anspach (Power Tools) | EA              | <br>(01)00845384015925 |
| M-4BA-A-G1   | 00845384015956 | 4 mm x 11 mm Fluted Barrel, 14 Flutes. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384015956 |
| XLHD-4B-G1   | 00845384015970 | 4 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015970 |
| XLHD-3SB-G1  | 00845384016021 | 3 mm Fluted Ball, Standard Length. Use with XL-HD-G1, XL-HD Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384016021 |
| S-3SDC-22-G1 | 00845384016052 | 3 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                         | Anspach (Power Tools) | EA              | <br>(01)00845384016052 |
| M-35SDC-G1   | 00845384016069 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016069 |
| M-25SDC-G1   | 00845384016113 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016113 |
| S-8N-L-G1    | 00845384016120 | 2.3 MM FLUTED MATCHSTICK, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                         | Anspach (Power Tools) | EA              | <br>(01)00845384016120 |
| M-15SDC-G1   | 00845384016151 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016151 |
| M-05SD-G1    | 00845384016182 | 0.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384016182 |



| Product #     | UDI-DI         | Product Desc  | Company                  | Unit of Measure | UDI Barcode   |
|---------------|----------------|---|--------------------------|-----------------|---|
| MIA16-7B-G1   | 00845384016212 | 7 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384016212   |
| S-4DX-20-G1   | 00845384016540 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384016540   |
| B-COLLECTOR-1 | 00845384000549 | Bone Collector. Use with 3/16 in to 9/32 in (4.8 mm to 7.1 mm) internal diameter suction tubing.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384000549   |
| FILTER        | 00845384002109 | Five Replacement Filters for AUTOLUBE-I   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002109   |
| M-6DC-2-G1    | 00845384015215 | 6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015215   |
| MHD-16CT-G1   | 00845384015246 | 6.7 mm Coring Tool. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015246   |
| M-62DRM-G1    | 00845384015253 | 6.2 mm x 4.6 mm Fluted Drum, Side Cut Only. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.    | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015253   |
| L-58OV-G1     | 00845384015260 | 5 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015260   |
| M-58OV-G1     | 00845384015277 | 5 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015277  |
| LHD-5DRM-G1   | 00845384015284 | 5 mm x 8.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015284 |
| L-56OV-G1     | 00845384015291 | 5 mm x 6 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015291 |
| M-56OV-G1     | 00845384015307 | 5 mm x 6 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015307 |
| LHD-5DRM12-G1 | 00845384015314 | 5 mm x 12 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015314 |
| M-5OV-G1      | 00845384015321 | 5 mm x 10 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015321 |
| MIA16-5OV-G1  | 00845384015338 | 5 mm X 10 mm Fluted Oval. Use with MIA16-G1, MIA16 Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015338 |
| M-4OVD-G1     | 00845384015383 | 4 mm x 8 mm Diamond Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015383 |
| S-4OVD-G1     | 00845384015390 | 4 mm x 8 mm Diamond Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015390 |
| S-4B-C-10F-G1 | 00845384015420 | 4 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015420 |
| MHD-8NS-M-G1  | 00845384015482 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015482 |
| XLHD-8NS-G1   | 00845384015499 | 3 mm Fluted Matchstick. Use with XL-HD-G1, XL-HD Attachments.   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015499 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| S-3SB-4-G1   | 00845384015505 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384015505   |
| M-3SB-4-G1   | 00845384015529 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384015529   |
| L-3SB-4-G1   | 00845384015536 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384015536   |
| L-35DR-G1    | 00845384015567 | 3.5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384015567   |
| S-35SDC-G1   | 00845384015581 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384015581   |
| LHD-47-5-G1  | 00845384015604 | 3.2 mm Fluted Bell. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015604   |
| M-25SD-G1    | 00845384015611 | 2.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384015611   |
| L-10DRC-G1   | 00845384015680 | 10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384015680   |
| M-15SD-G1    | 00845384015710 | 1.5 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384015710  |
| S-12D-G1     | 00845384015734 | 1.2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384015734 |
| MHD-95DRM-G1 | 00845384015772 | 9.5 mm Fluted Drum. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384015772 |
| L-8DX-G1     | 00845384015789 | 8 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384015789 |
| S-5D-2-G1    | 00845384015901 | 5 MM DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384015901 |
| S-5DC-40-G1  | 00845384015918 | 5 mm Coarse Diamond Ball, 40/60 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384015918 |
| M-55OV-C-G1  | 00845384015932 | 5.5 mm x 10 mm Carbide Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015932 |
| M-45DRMDX-G1 | 00845384015949 | 4 mm x 5 mm Extra Coarse Diamond Drum. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384015949 |
| M-4FD-G1     | 00845384015963 | 4 mm x 10 mm Diamond Pear Inverted. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015963 |
| MIA16-4D-G1  | 00845384015994 | 4 mm Diamond Ball. Use with MIA16-G1, MIA16 Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015994 |
| S-4DC-22-G1  | 00845384016007 | 4 MM COARSE DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                              | Anspach (Power Tools) | EA              | <br>(01)00845384016007 |
| S-3SDC-50-G1 | 00845384016038 | 3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016038 |

| Product #     | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|---|-----------------------|-----------------|---|
| M-3DC-2-G1    | 00845384016045 | 3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016045   |
| S-2SB-4-G1    | 00845384016083 | 2 mm Fluted Ball, 4-Series, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384016083   |
| S-2SB-C-8F-G1 | 00845384016106 | 2 mm Carbide Fluted Ball, Standard, 8 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384016106   |
| S-8N-18-4-G1  | 00845384016137 | 1.8 mm Fluted Matchstick, 4- Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384016137   |
| S-1R-4-G1     | 00845384016175 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384016175   |
| M-05D-G1      | 00845384016199 | 0.5 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384016199   |
| MHD-9B-G1     | 00845384016205 | 9 mm Fluted Ball. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384016205   |
| M-4DX-20-G1   | 00845384016236 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.    | Anspach (Power Tools) | EA              | <br>(01)00845384016236   |
| M-5B-27-G1    | 00845384016243 | 5 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384016243  |
| ADG-13-G1     | 00845384016274 | 1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384016274 |
| ADG-155-G1    | 00845384016281 | 1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384016281 |
| FILTER-II     | 00845384002116 | Five Replacement Filters for AUTOLUBE-II or AUTOLUBE-III  | Anspach (Power Tools) | EA              | <br>(01)00845384002116 |
| MA10-05SD     | 00845384004387 | 0.5 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384004387 |
| MA10-15SB     | 00845384004400 | 1.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384004400 |
| MA10-1SB      | 00845384004417 | 1 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384004417 |
| MA10-2SB      | 00845384004431 | 2 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384004431 |
| MA10-2SD      | 00845384004448 | 2 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384004448 |
| MA10-3SB      | 00845384004455 | 3 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.  | Anspach (Power Tools) | EA              | <br>(01)00845384004455 |
| MA10-3SD      | 00845384004462 | 3 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384004462 |
| MA10-4D       | 00845384004479 | 4 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.   | Anspach (Power Tools) | EA              | <br>(01)00845384004479 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| MA10-8NSDC   | 00845384004516 | 3 mm Coarse Diamond Matchstick, 10 cm. Use with MA-10 Bearing Sleeves. | Anspach (Power Tools) | EA              | <br>(01)00845384004516   |
| MA10-08SD    | 00845384004394 | 0.8 mm Diamond Ball, 10 cm. Use with MA-10 Bearing Sleeves.            | Anspach (Power Tools) | EA              | <br>(01)00845384004394   |
| MA10-25SB    | 00845384004424 | 2.5 mm Fluted Ball, 10 cm. Use with MA-10 Bearing Sleeves.             | Anspach (Power Tools) | EA              | <br>(01)00845384004424   |
| MA10-8N      | 00845384004486 | 2.3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.       | Anspach (Power Tools) | EA              | <br>(01)00845384004486   |
| MA10-8N-18   | 00845384004493 | 1.8 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.       | Anspach (Power Tools) | EA              | <br>(01)00845384004493   |
| MUFFLER-ASSY | 00845384005599 | REPLACEMENT MUFFLER ASSEMBLY FOR AUTOLUBE-III                          | Anspach (Power Tools) | EA              | <br>(01)00845384005599   |
| S-2SB-HX-G1  | 00845384017790 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017790   |
| S-2B-HX-G1   | 00845384017806 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017806   |
| S-25SB-HX-G1 | 00845384017813 | ANSPACH HELIX™ 2.5 mm Fluted Ball, Standard Length                     | Anspach (Power Tools) | EA              | <br>(01)00845384017813  |
| S-25B-HX-G1  | 00845384017820 | ANSPACH HELIX™ 2.5 mm Fluted Ball, Extended Length                     | Anspach (Power Tools) | EA              | <br>(01)00845384017820 |
| S-3SB-HX-G1  | 00845384017837 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017837 |
| S-3B-HX-G1   | 00845384017844 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017844 |
| S-35SB-HX-G1 | 00845384017851 | ANSPACH HELIX™ 3.5 mm Fluted Ball, Standard Length                     | Anspach (Power Tools) | EA              | <br>(01)00845384017851 |
| S-35B-HX-G1  | 00845384017868 | ANSPACH HELIX™ 3.5 mm Fluted Ball, Extended Length                     | Anspach (Power Tools) | EA              | <br>(01)00845384017868 |
| S-4B-HX-G1   | 00845384017875 | ANSPACH HELIX™ 4 mm Fluted Ball  | Anspach (Power Tools) | EA              | <br>(01)00845384017875 |
| S-5B-HX-G1   | 00845384017882 | ANSPACH HELIX™ 5 mm Fluted Ball  | Anspach (Power Tools) | EA              | <br>(01)00845384017882 |
| S-6B-HX-G1   | 00845384017899 | ANSPACH HELIX™ 6 mm Fluted Ball  | Anspach (Power Tools) | EA              | <br>(01)00845384017899 |
| S-7B-HX-G1   | 00845384017905 | ANSPACH HELIX™ 7 mm Fluted Ball  | Anspach (Power Tools) | EA              | <br>(01)00845384017905 |
| M-2SB-HX-G1  | 00845384017967 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017967 |
| M-2B-HX-G1   | 00845384017974 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length                       | Anspach (Power Tools) | EA              | <br>(01)00845384017974 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| M-3SB-HX-G1 | 00845384018001 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018001   |
| M-3B-HX-G1  | 00845384018018 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018018   |
| M-4B-HX-G1  | 00845384018049 | ANSPACH HELIX™ 4 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018049   |
| M-5B-HX-G1  | 00845384018056 | ANSPACH HELIX™ 5 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018056   |
| M-6B-HX-G1  | 00845384018063 | ANSPACH HELIX™ 6 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018063   |
| M-7B-HX-G1  | 00845384018070 | ANSPACH HELIX™ 7 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018070   |
| L-2SB-HX-G1 | 00845384018131 | ANSPACH HELIX™ 2 mm Fluted Ball, Standard Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018131   |
| L-2B-HX-G1  | 00845384018148 | ANSPACH HELIX™ 2 mm Fluted Ball, Extended Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018148   |
| L-3SB-HX-G1 | 00845384018179 | ANSPACH HELIX™ 3 mm Fluted Ball, Standard Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018179  |
| L-3B-HX-G1  | 00845384018186 | ANSPACH HELIX™ 3 mm Fluted Ball, Extended Length                            | Anspach (Power Tools) | EA              | <br>(01)00845384018186 |
| L-4B-HX-G1  | 00845384018216 | ANSPACH HELIX™ 4 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018216 |
| L-5B-HX-G1  | 00845384018223 | ANSPACH HELIX™ 5 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018223 |
| L-6B-HX-G1  | 00845384018230 | ANSPACH HELIX™ 6 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018230 |
| L-7B-HX-G1  | 00845384018247 | ANSPACH HELIX™ 7 mm Fluted Ball   | Anspach (Power Tools) | EA              | <br>(01)00845384018247 |
| XL-HD-G1    | 00845384016526 | 20.2 cm Heavy Duty X-Long Attachment, G1                                    | Anspach (Power Tools) | EA              | <br>(01)00845384016526 |
| 1003-00-101 | 00845384018544 | KINCISE 4-PORT BATTERY CHARGER  | Anspach (Power Tools) | EA              | <br>(01)00845384018544 |
| SDCB        | 00845384017271 | Small Diameter Cleaning Brush   | Anspach (Power Tools) | EA              | <br>(01)00845384017271 |
| G1-BSKT-INS | 00845384017462 | G1 Cleaning and Sterilization Basket - Insert                               | Anspach (Power Tools) | EA              | <br>(01)00845384017462 |
| CSRSC       | 00845384001812 | Shaft Storage Cover for XMax, microMax, and eMax System Perforator Drivers. | Anspach (Power Tools) | EA              | <br>(01)00845384001812 |
| ACB         | 00845384000211 | Attachment Cleaning Brushes (One 7 in Brush and One 12 in Brush)            | Anspach (Power Tools) | EA              | <br>(01)00845384000211 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| G1-BSKT-BTM  | 00845384017455 | G1 Cleaning and Sterilization Basket - Bottom  | Anspach (Power Tools) | EA              | <br>(01)00845384017455   |
| EMAX2-TRAY   | 00845384002048 | eMax 2 Sterilization Case and Tray   | Anspach (Power Tools) | EA              | <br>(01)00845384002048   |
| G1-BSKT-LID  | 00845384017479 | G1 Cleaning and Sterilization Basket - Lid   | Anspach (Power Tools) | EA              | <br>(01)00845384017479   |
| G1-BSKT-SLV  | 00845384017486 | G1 Cleaning and Sterilization Basket - Connector Sleeve  | Anspach (Power Tools) | EA              | <br>(01)00845384017486   |
| OIL-II       | 00845384005636 | Instrument Oil and One Replacement Filter for AUTOLUBE-II or AUTOLUBE- III   | Anspach (Power Tools) | EA              | <br>(01)00845384005636   |
| IRR-TUBE-HF  | 00845384017202 | Sterile Irrigation High Flow Tube and Clips  | Anspach (Power Tools) | EA              | <br>(01)00845384017202   |
| HOSECLIPS-G1 | 00845384017714 | G1 Irrigation Tube Hose Clips  | Anspach (Power Tools) | EA              | <br>(01)00845384017714   |
| IRR-TUBE     | 00845384017196 | Sterile Irrigation Tube and Clips  | Anspach (Power Tools) | EA              | <br>(01)00845384017196   |
| IRR-CLIP-10  | 00845384002703 | 21.6 cm Irrigation Clip for 6 mm Diameter Tube. Use with QD8-G1, QD8-S-G1, SHORT-G1, SHORT Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384002703  |
| IRR-CLIP-60  | 00845384002758 | 31.8 cm Irrigation Clip for Tapered Tube Use with QD11, QD11-S, QD14, QD14-S, B-QD11, B-QD11-S, B-QD14, B-QD14-S Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384002758 |
| IRR-CLIP-20  | 00845384002710 | 26.7 cm Irrigation Clip for Tapered Tube. Use with QD8, QD8-S, B-QD8, B-QD8-S Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384002710 |
| IRR-CLIP-30  | 00845384002727 | 21.6 cm Irrigation Clip for 8 mm Diameter Tube. Use with SHORT-HD-G1, SHORT-HD, B-SILVER Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384002727 |
| IRR-CLIP-40  | 00845384002734 | 26.7 cm Irrigation Clip for 8 mm Diameter Tube. Use with LONG-HD-G1, MEDIUM-HD-G1, LONG-HD, MEDIUM-HD, B-BLUE-S, B-VIOLET Attachments.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384002734 |
| IRR-CLIP-50  | 00845384002741 | 26.7 cm Irrigation Clip for 6 mm Diameter Tube. Use with LONG-G1, MEDIUM-G1, MIA16-G1, QD11-G1, QD11-S-G1, LONG, LONG-S, LONG-01, MEDIUM, MIA16, B-TURQ-L Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384002741 |
| 1000-00-101  | 00845384018520 | KINCISE AUTOMATED SURGICAL IMPACTOR  | Anspach (Power Tools) | EA              | <br>(01)00845384018520 |
| 1002-00-102  | 00845384018537 | KINCISE RECHARGEABLE LI-ION BATTERY  | Anspach (Power Tools) | EA              | <br>(01)00845384018537 |
| 1010-01-101  | 00845384018551 | KINCISE POSTERIOR BROACH ADAPTER   | Anspach (Power Tools) | EA              | <br>(01)00845384018551 |
| 1010-01-102  | 00845384018568 | KINCISE ANTERIOR BROACH ADAPTER  | Anspach (Power Tools) | EA              | <br>(01)00845384018568 |
| 1011-01-101  | 00845384018575 | KINCISE PINNACLE SHELL/LINER IMPACTOR  | Anspach (Power Tools) | EA              | <br>(01)00845384018575 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| 1012-01-101  | 00845384018582 | KINCISE BULLET TIP STEM INSERTER   | Anspach (Power Tools) | EA              | <br>(01)00845384018582   |
| 1013-00-101  | 00845384018612 | KINCISE FEMORAL HEAD IMPACTOR  | Anspach (Power Tools) | EA              | <br>(01)00845384018612   |
| 1013-00-901  | 00845384018629 | KINCISE FEM HEAD IMPACTOR, REPLACE CAP   | Anspach (Power Tools) | EA              | <br>(01)00845384018629   |
| SCHRADER-F   | 00845384008613 | Schrader Adapter, Female   | Anspach (Power Tools) | EA              | <br>(01)00845384008613   |
| EX-BSKT-INS  | 00845384016663 | EM XM Cleaning and Sterilization Basket - Insert   | Anspach (Power Tools) | EA              | <br>(01)00845384016663   |
| EX-BSKT-LID  | 00845384016670 | EM XM Cleaning and Sterilization Basket - Lid  | Anspach (Power Tools) | EA              | <br>(01)00845384016670   |
| EX-BSKT-BTM  | 00845384016656 | EM XM Cleaning and Sterilization Basket - Bottom   | Anspach (Power Tools) | EA              | <br>(01)00845384016656   |
| B-OIL        | 00845384000662 | Instrument Oil and One Replacement Filter for AUTOLUBE-I                                 | Anspach (Power Tools) | EA              | <br>(01)00845384000662   |
| HOSE         | 00845384002475 | 20 Ft Air Extension Hose   | Anspach (Power Tools) | EA              | <br>(01)00845384002475  |
| HOSE-15      | 00845384002512 | 15 Ft Air Extension Hose   | Anspach (Power Tools) | EA              | <br>(01)00845384002512 |
| IMRI-S-8NS-M | 00845384011194 | 3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with IMRI-SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384011194 |
| BLA-6        | 00845384001034 | 6 mm Fluted Ball. Use with B-BLACK Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001034 |
| BLA-8        | 00845384001065 | 3 mm Fluted Matchstick. Use with B-BLACK Attachment.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384001065 |
| BLU-14       | 00845384001171 | 25.4 mm Diamond Disc. Use with B-BLUE-S Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384001171 |
| BLU-17-2     | 00845384001195 | 2 mm Diamond Ball. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001195 |
| BLU-17-6     | 00845384001232 | 6 mm Diamond Ball. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001232 |
| BLU-24       | 00845384001249 | 6 mm Fluted Acorn. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001249 |
| BLU-39       | 00845384001317 | 5 mm Fluted Acorn. Use with B-BLUE-S Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384001317 |
| BLU-4        | 00845384001324 | 4 mm Fluted Ball. Use with B-BLUE-S Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384001324 |
| BLU-40-55    | 00845384001331 | 5.5 mm x 10 mm Fluted Oval. Use with B-BLUE-S Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384001331 |

| Product #     | UDI-DI         | Product Desc   | Company                  | Unit of Measure | UDI Barcode   |
|---------------|----------------|--|--------------------------|-----------------|---|
| BLU-5         | 00845384001355 | 5 mm Fluted Ball. Use with B-BLUE-S Attachment.                                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001355   |
| BLU-6         | 00845384001379 | 6 mm Fluted Ball. Use with B-BLUE-S Attachment.                                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001379   |
| BLA-24        | 00845384000969 | 6 mm Fluted Acorn. Use with B-BLACK Attachment.                                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384000969   |
| BLA-32        | 00845384000983 | 7.5 mm Fluted Acorn. Use with B-BLACK Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384000983   |
| BLA-38        | 00845384000990 | 9.2 mm Fluted Acorn. Use with B-BLACK Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384000990   |
| BLA-7         | 00845384001041 | 7 mm Fluted Ball. Use with B-BLACK Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001041   |
| BLU-1         | 00845384001140 | 1.85 mm x 16 mm Fluted Router. Use with B-BLUE-S Attachment.                     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001140   |
| BLU-17-1      | 00845384001188 | 1 mm Diamond Ball. Use with B-BLUE-S Attachment.                                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001188   |
| BLU-17-3      | 00845384001201 | 3 mm Diamond Ball. Use with B-BLUE-S Attachment.                                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001201  |
| BLU-17-4      | 00845384001218 | 4 mm Diamond Ball. Use with B-BLUE-S Attachment.                                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001218 |
| BLU-17-5      | 00845384001225 | 5 mm Diamond Ball. Use with B-BLUE-S Attachment.                                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001225 |
| BLU-3         | 00845384001287 | 3 mm Fluted Ball. Use with B-BLUE-S Attachment.                                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001287 |
| BLU-38        | 00845384001300 | 9.2 mm Fluted Acorn. Use with B-BLUE-S Attachment.                               | Anspach<br>(Power Tools) | EA              | <br>(01)00845384001300 |
| IMRI-A-CRN    | 00845384002574 | 1.85 mm x 16 mm Fluted Router. Use with IMRI-A-CRN or IMRI-SHORT-HD Attachments. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002574 |
| IMRI-S-4B     | 00845384002642 | 4 mm Fluted Ball. Use with IMRI-SHORT Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002642 |
| IMRI-SHD-6B   | 00845384002659 | 6 mm Fluted Ball. Use with IMRI-SHORT Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002659 |
| IMRI-SHORT-HD | 00845384002680 | 5 cm Heavy Duty Short Attachment. Use with iMRI System Only                      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002680 |
| MM-SAGITTAL   | 00845384005308 | Sagittal Saw. Use with XMax, eMax Systems.                                       | Anspach<br>(Power Tools) | EA              | <br>(01)00845384005308 |
| IMRI-OIL      | 00845384002611 | Synthetic Oil for iMRI Foot Control Only.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002611 |
| IMRI-S-1004TD | 00845384002628 | 1.0 mm x 4.0 mm Twist Drill with Depth Stop. Use with IMRI-SHORT Attachment.     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384002628 |



| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| IMRI-S-1R  | 00845384002635 | 1.4 mm x 12.8 mm Fluted Router. Use with IMRI-SHORT Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384002635   |
| IMRI-SHORT | 00845384002673 | 5 cm Short Attachment. Use with iMRI System Only                           | Anspach (Power Tools) | EA              | <br>(01)00845384002673   |
| P-CRN-4    | 00845384005797 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384005797   |
| L-2SB      | 00845384002901 | 2 mm Fluted Ball, Standard Length. Use with LONG Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384002901   |
| S-12D      | 00845384007401 | 1.2 mm Diamond Ball, Extended Length. Use with SHORT Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384007401   |
| S-5B       | 00845384008149 | 5 mm Fluted Ball. Use with SHORT Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384008149   |
| A-CRN-S    | 00845384000198 | 2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384000198   |
| S-25DC     | 00845384007678 | 2.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.    | Anspach (Power Tools) | EA              | <br>(01)00845384007678   |
| S-6DC      | 00845384008316 | 6 mm Coarse Diamond Ball. Use with SHORT Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384008316  |
| M-8NSD     | 00845384004295 | 3.2 mm Diamond Matchstick. Use with MEDIUM Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384004295 |
| M-8N       | 00845384004257 | 2.3 mm Fluted Matchstick. Use with MEDIUM Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004257 |
| M-8NS-M    | 00845384004288 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384004288 |
| MA-15S     | 00845384004332 | Bearing Sleeve, 15cm Straight. Use with Minimal Access Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384004332 |
| MA-15ST    | 00845384004349 | Bearing Sleeve, 15 cm Straight Taper. Use with Minimal Access Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384004349 |
| M-35SDC    | 00845384003922 | 3.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003922 |
| M-5DC      | 00845384004141 | 5 mm Coarse Diamond Ball. Use with MEDIUM Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004141 |
| M-6B       | 00845384004165 | 6 mm Fluted Ball. Use with MEDIUM Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384004165 |
| M-4DC      | 00845384004042 | 4 mm Coarse Diamond Ball. Use with MEDIUM Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004042 |
| M-4DX      | 00845384004059 | 4 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384004059 |
| M-4OV      | 00845384004073 | 4 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384004073 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| M-5AC     | 00845384004080 | 5 mm Fluted Acorn. Use with MEDIUM Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384004080   |
| M-5B-4    | 00845384004110 | 5 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384004110   |
| M-6DX     | 00845384004219 | 6 mm Extra Coarse Diamond Ball. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384004219   |
| M-6P      | 00845384004226 | 6 mm x 9 mm Fluted Pear. Use with MEDIUM Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384004226   |
| M-7B      | 00845384004240 | 7 mm Fluted Ball. Use with MEDIUM Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384004240   |
| L-5B      | 00845384003069 | 5 mm Fluted Ball. Use with LONG Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384003069   |
| L-6D      | 00845384003175 | 6 mm Diamond Ball. Use with LONG Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384003175   |
| L-8N      | 00845384003274 | 2.3 mm Fluted Matchstick. Use with LONG Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384003274   |
| L-8NS     | 00845384003298 | 3 mm Fluted Matchstick. Use with LONG Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384003298  |
| L-4D      | 00845384003007 | 4 mm Diamond Ball, Standard Length. Use with LONG Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003007 |
| L-3SDC    | 00845384002963 | 3 mm Coarse Diamond Ball, Standard Length. Use with LONG Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384002963 |
| L-4BA-S   | 00845384002994 | 4 mm x 8 mm Fluted Barrel. Use with LONG Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384002994 |
| L-4OV     | 00845384003045 | 4 mm x 8 mm Fluted Oval. Use with LONG Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384003045 |
| L-5AC     | 00845384003052 | 5 mm Fluted Acorn. Use with LONG Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384003052 |
| L-5DC     | 00845384003090 | 5 mm Coarse Diamond Ball. Use with LONG Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384003090 |
| L-5DRC    | 00845384003106 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003106 |
| L-5DRM    | 00845384003113 | 5 mm x 8.4 mm Fluted Drum. Use with LONG Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384003113 |
| L-5DX     | 00845384003120 | 5 mm Extra Coarse Diamond Ball. Use with LONG Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384003120 |
| L-6DRC    | 00845384003199 | 6 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003199 |
| L-7DRC    | 00845384003236 | 7 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003236 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| L-8NS-M   | 00845384003304 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384003304   |
| ORNG-33   | 00845384005728 | 10.5 mm Small Bone Burr. Use with ORANGE Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384005728   |
| ORNG-35   | 00845384005735 | 2.3 mm Fluted Ball. Use with ORANGE Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384005735   |
| ORNG-36   | 00845384005742 | 2.9 mm Fluted Ball. Use with ORANGE Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384005742   |
| M-3D      | 00845384003946 | 3 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384003946   |
| M-1DC     | 00845384003779 | 1 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003779   |
| M-2B      | 00845384003854 | 2 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384003854   |
| M-3SB     | 00845384003977 | 3 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384003977   |
| L-3SB     | 00845384002949 | 3 mm Fluted Ball, Standard Length. Use with LONG Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384002949  |
| M-1SB     | 00845384003809 | 1 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384003809 |
| M-1SD     | 00845384003816 | 1 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384003816 |
| M-25SD    | 00845384003830 | 2.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003830 |
| M-25SDC   | 00845384003847 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384003847 |
| M-2DC     | 00845384003878 | 2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003878 |
| M-2SD     | 00845384003892 | 2 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384003892 |
| M-3B      | 00845384003939 | 3 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384003939 |
| M-3SB-2   | 00845384003984 | 3 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384003984 |
| M-3SD     | 00845384003991 | 3 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384003991 |
| M-3SDC    | 00845384004004 | 3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384004004 |
| M-4B-4    | 00845384004028 | 4 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384004028 |

| Product #  | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|---|-----------------------|-----------------|---|
| M-4D       | 00845384004035 | 4 mm Diamond Ball. Use with MEDIUM Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384004035   |
| L-10DRC    | 00845384002857 | 10 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384002857   |
| MDA-8NSDC  | 00845384004707 | 3 mm Coarse Diamond Matchstick. Use with MDA Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384004707   |
| MHD-15C    | 00845384004929 | 3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD Attachment.       | Anspach (Power Tools) | EA              | <br>(01)00845384004929   |
| MHD-16CT   | 00845384004936 | 6.7 mm Coring Tool. Use with MEDIUM-HD Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004936   |
| MHD-17DD   | 00845384004943 | 17 mm Diamond Disc. Use with MEDIUM-HD Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004943   |
| MHD-25DD   | 00845384004967 | 25.4 mm Diamond Disc. Use with MEDIUM-HD Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384004967   |
| MHD-25R    | 00845384004974 | 2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384004974   |
| MHD-8NS-M  | 00845384005032 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-HD Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384005032  |
| MIA16-6B   | 00845384005124 | 6 mm Fluted Ball. Use with MIA16 Attachment.                            | Anspach (Power Tools) | EA              | <br>(01)00845384005124 |
| MIA16-8NS  | 00845384005155 | 3 mm Fluted Matchstick. Use with MIA16 Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384005155 |
| MOTOR-CASE | 00845384005377 | Handpiece Sterilization Case  | Anspach (Power Tools) | EA              | <br>(01)00845384005377 |
| M-5B       | 00845384004097 | 5 mm Fluted Ball. Use with MEDIUM Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384004097 |
| M-8NS      | 00845384004271 | 3 mm Fluted Matchstick. Use with MEDIUM Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384004271 |
| M-4FD      | 00845384004066 | 4 mm x 10 mm Diamond Pear Inverted. Use with MEDIUM Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384004066 |
| M-5B-2     | 00845384004103 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384004103 |
| M-5BA-20   | 00845384004127 | 5 mm x 20 mm Fluted Barrel. Use with MEDIUM Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384004127 |
| M-5D       | 00845384004134 | 5 mm Diamond Ball. Use with MEDIUM Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384004134 |
| M-5OV      | 00845384004158 | 5 mm x 10 mm Fluted Oval. Use with MEDIUM Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384004158 |
| M-6B-4     | 00845384004172 | 6 mm Fluted Ball, 4-Series. Use with MEDIUM Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384004172 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| M-6D      | 00845384004189 | 6 mm Diamond Ball. Use with MEDIUM Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384004189   |
| M-6DC     | 00845384004196 | 6 mm Coarse Diamond Ball. Use with MEDIUM Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384004196   |
| M-6DC-2   | 00845384004202 | 6 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384004202   |
| M-7AC     | 00845384004233 | 7 mm Fluted Acorn. Use with MEDIUM Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384004233   |
| M-8ND     | 00845384004264 | 2.5 mm Diamond Matchstick. Use with MEDIUM Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384004264   |
| MA-10C    | 00845384004301 | Bearing Sleeve, 10cm Curved. Use with Minimal Access Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384004301   |
| MA-10S    | 00845384004318 | Bearing Sleeve, 10cm Straight. Use with Minimal Access Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384004318   |
| MA-15C    | 00845384004325 | Bearing Sleeve, 15cm Curved. Use with Minimal Access Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384004325   |
| L-5D      | 00845384003083 | 5 mm Diamond Ball. Use with LONG Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384003083  |
| L-7AC     | 00845384003212 | 7 mm Fluted Acorn. Use with LONG Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384003212 |
| L-8ND     | 00845384003281 | 2.5 mm Diamond Matchstick. Use with LONG Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384003281 |
| L-6B      | 00845384003151 | 6 mm Fluted Ball. Use with LONG Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384003151 |
| L-4DX     | 00845384003038 | 4 mm Extra Coarse Diamond Ball. Use with LONG Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384003038 |
| L-5BA     | 00845384003076 | 5 mm x 10 mm Fluted Barrel. Use with LONG Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384003076 |
| L-5OV     | 00845384003137 | 5 mm x 10 mm Fluted Oval. Use with LONG Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384003137 |
| L-68DRMDX | 00845384003144 | 6.8 mm x 10.6 mm Extra Coarse Diamond Drum. Use with LONG Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384003144 |
| L-6DC     | 00845384003182 | 6 mm Coarse Diamond Ball. Use with LONG Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384003182 |
| L-6DX     | 00845384003205 | 6 mm Extra Coarse Diamond Ball. Use with LONG Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384003205 |
| L-7B      | 00845384003229 | 7 mm Fluted Ball. Use with LONG Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384003229 |
| L-8DRC    | 00845384003250 | 8 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384003250 |

| Product #   | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|--|-----------------------|-----------------|---|
| L-4B        | 00845384002970 | 4 mm Fluted Ball. Use with LONG Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384002970   |
| L-4DC       | 00845384003014 | 4 mm Coarse Diamond Ball. Use with LONG Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384003014   |
| L-4DRM      | 00845384003021 | 4 mm x 8.9 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003021   |
| M-3DC       | 00845384003953 | 3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384003953   |
| M-3DC-2     | 00845384003960 | 3 mm Coarse Diamond Ball, 2 mm Shaft Exposure. Use with MEDIUM Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384003960   |
| M-4B        | 00845384004011 | 4 mm Fluted Ball. Use with MEDIUM Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384004011   |
| N/REGULATOR | 00845384005605 | Nitrogen Regulator with Schrader   | Anspach (Power Tools) | EA              | <br>(01)00845384005605   |
| P-CRN       | 00845384005780 | 1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384005780   |
| M-1B        | 00845384003755 | 1 mm Fluted Ball, Extended Length. Use with MEDIUM Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384003755  |
| M-1D        | 00845384003762 | 1 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384003762 |
| M-2D        | 00845384003861 | 2 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384003861 |
| M-1R        | 00845384003786 | 1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384003786 |
| M-1R-4      | 00845384003793 | 1.2 mm x 12.8 mm Fluted Router, 4-Series. Use with MEDIUM Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384003793 |
| M-1SDC      | 00845384003823 | 1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384003823 |
| M-2SB       | 00845384003885 | 2 mm Fluted Ball, Standard Length. Use with MEDIUM Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384003885 |
| M-2SDC      | 00845384003908 | 2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment.     | Anspach (Power Tools) | EA              | <br>(01)00845384003908 |
| M-35SD      | 00845384003915 | 3.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384003915 |
| L-2SD       | 00845384002925 | 2 mm Diamond Ball, Standard Length. Use with LONG Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384002925 |
| L-3SD       | 00845384002956 | 3 mm Diamond Ball, Standard Length. Use with LONG Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384002956 |
| MDA-3SD     | 00845384004677 | 3 mm Diamond Ball. Use with MDA Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384004677 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| MDA-4D       | 00845384004684 | 4 mm Diamond Ball. Use with MDA Attachment.                            | Anspach (Power Tools) | EA              | <br>(01)00845384004684   |
| MDA-8N-18    | 00845384004691 | 1.8 mm Fluted Matchstick. Use with MDA Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384004691   |
| MHD-19CT     | 00845384004950 | 9.9 mm Coring Tool. Use with MEDIUM-HD Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384004950   |
| MHD-6B       | 00845384005018 | 6 mm Fluted Ball. Use with MEDIUM-HD Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384005018   |
| MHD-8NS      | 00845384005025 | 3 mm Fluted Matchstick. Use with MEDIUM-HD Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384005025   |
| MIA16-4B     | 00845384005094 | 4 mm Fluted Ball. Use with MIA16 Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384005094   |
| HOSE-20-DISS | 00845384002536 | 20 Ft Air Extension Hose, DISS Adapter                                 | Anspach (Power Tools) | EA              | <br>(01)00845384002536   |
| L-1R         | 00845384002864 | 1.2 mm x 12.8 mm Fluted Router. Use with LONG Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384002864   |
| L-1SB        | 00845384002888 | 1 mm Fluted Ball, Standard Length. Use with LONG Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384002888  |
| L-1SD        | 00845384002895 | 1 mm Diamond Ball, Standard Length. Use with LONG Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384002895 |
| MA15-8NS     | 00845384004615 | 3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.         | Anspach (Power Tools) | EA              | <br>(01)00845384004615 |
| MA15-8NSDC   | 00845384004622 | 3 mm Coarse Diamond Matchstick, 15 cm. Use with MA-15 Bearing Sleeves. | Anspach (Power Tools) | EA              | <br>(01)00845384004622 |
| MDA-3SB      | 00845384004660 | 3 mm Fluted Ball. Use with MDA Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384004660 |
| MA15-15SD    | 00845384004523 | 1.5 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.            | Anspach (Power Tools) | EA              | <br>(01)00845384004523 |
| MA15-2SD     | 00845384004547 | 2 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.              | Anspach (Power Tools) | EA              | <br>(01)00845384004547 |
| MA15-3SB     | 00845384004554 | 3 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves.               | Anspach (Power Tools) | EA              | <br>(01)00845384004554 |
| MA15-3SD     | 00845384004561 | 3 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.              | Anspach (Power Tools) | EA              | <br>(01)00845384004561 |
| MA15-4D      | 00845384004578 | 4 mm Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.              | Anspach (Power Tools) | EA              | <br>(01)00845384004578 |
| MA15-4DC     | 00845384004585 | 4 mm Coarse Diamond Ball, 15 cm. Use with MA-15 Bearing Sleeves.       | Anspach (Power Tools) | EA              | <br>(01)00845384004585 |
| MA15-8N      | 00845384004592 | 2.3 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.       | Anspach (Power Tools) | EA              | <br>(01)00845384004592 |

| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| MA15-8N-18 | 00845384004608 | 1.8 mm Fluted Matchstick, 15 cm. Use with MA-15 Bearing Sleeves.         | Anspach (Power Tools) | EA              | <br>(01)00845384004608   |
| MDA-2SB    | 00845384004646 | 2 mm Fluted Ball. Use with MDA Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384004646   |
| MA10-8NS   | 00845384004509 | 3 mm Fluted Matchstick, 10 cm. Use with MA-10 Bearing Sleeves.           | Anspach (Power Tools) | EA              | <br>(01)00845384004509   |
| MA15-2SB   | 00845384004530 | 2 mm Fluted Ball, 15 cm. Use with MA-15 Bearing Sleeves.                 | Anspach (Power Tools) | EA              | <br>(01)00845384004530   |
| MDA-2SD    | 00845384004653 | 2 mm Diamond Ball. Use with MDA Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384004653   |
| L-8NSDC    | 00845384003328 | 3.2 mm Coarse Diamond Matchstick. Use with LONG Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384003328   |
| L-CRN      | 00845384003359 | 2.5 mm x 25.4 mm Fluted Router. Use with CRANI-L Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384003359   |
| LHD-6B     | 00845384003489 | 6 mm Fluted Ball. Use with LONG-HD Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384003489   |
| LHD-8NS    | 00845384003519 | 3 mm Fluted Matchstick. Use with LONG-HD Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384003519  |
| LHD-LS9-5  | 00845384003557 | 4.7 mm x 20 mm Fluted Drum. Use with LONG-HD Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384003557 |
| M-05D      | 00845384003700 | 0.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003700 |
| M-05SD     | 00845384003717 | 0.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003717 |
| M-15SD     | 00845384003731 | 1.5 mm Diamond Ball, Standard Length. Use with MEDIUM Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384003731 |
| M-15SDC    | 00845384003748 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384003748 |
| ADG-11     | 00845384000242 | 1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384000242 |
| ADG-13     | 00845384000259 | 1.3 mm Twist Drill for 1.7 mm Screw. Use with ADG Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384000259 |
| ADG-155    | 00845384000266 | 1.55 mm Twist Drill for 2.0 mm Screw. Use with ADG Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384000266 |
| A-CRN-M    | 00845384000181 | 2 mm x 15.6 mm Fluted Router. Use with CRANI-A Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384000181 |
| QD8-4OVD   | 00845384006930 | 4 mm x 8 mm Diamond Oval. Use with QD8 Attachment.                       | Anspach (Power Tools) | EA              | <br>(01)00845384006930 |
| RED-17-55C | 00845384007210 | 5.5 mm Coarse Diamond Ball. Use with B-RED Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384007210 |



| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| L-8N-18-G1   | 00845384016144 | 1.8 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384016144   |
| ADG-10-G1    | 00845384016250 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384016250   |
| ADG-11-G1    | 00845384016267 | 1.1 mm Twist Drill for 1.50 mm Screw. Use with ADG Attachment.                        | Anspach (Power Tools) | EA              | <br>(01)00845384016267   |
| MEDIUM-HD-G1 | 00845384016328 | 8 cm Heavy Duty Medium Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016328   |
| LONG-HD-G1   | 00845384016342 | 11 cm Heavy Duty Long Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016342   |
| QD8-G1       | 00845384016373 | 8 cm QD Angle Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016373   |
| QD14-S-G1    | 00845384016465 | 13.5 cm QD Angle Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016465   |
| QD8-S-G1     | 00845384016489 | 7.5 cm QD Angle Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016489   |
| SHD-4840DS   | 00845384016618 | 4.8 mm x 4 mm Twist Drill with Depth Stop. Use with SHORTH D Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384016618  |
| SC3001       | 00845384017431 | G1 Electric Console, Without Irrigation   | Anspach (Power Tools) | EA              | <br>(01)00845384017431 |
| OCM5-05SD    | 00845384017509 | 0.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017509 |
| OCM5-07SD    | 00845384017523 | 0.7 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017523 |
| QD11-7DX     | 00845384006312 | 7 mm Extra Coarse Diamond Ball. Use with QD11 Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384006312 |
| OCM5-2SD     | 00845384017561 | 2 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384017561 |
| OCM5-2SB     | 00845384017592 | 2 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384017592 |
| OCM7-05SD    | 00845384017608 | 0.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017608 |
| OCM7-07SD    | 00845384017622 | 0.7 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017622 |
| OCM7-08SD    | 00845384017639 | 0.8 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384017639 |
| OCM7-1SB     | 00845384017677 | 1 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384017677 |
| S-5B-4-G1    | 00845384015864 | 5 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015864 |

| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| M-4AC-G1     | 00845384015987 | 4 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                               | Anspach (Power Tools) | EA              | <br>(01)00845384015987   |
| L-5B-C-G1    | 00845384015369 | 5 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                            | Anspach (Power Tools) | EA              | <br>(01)00845384015369   |
| M-8NS-M-C-G1 | 00845384015550 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015550   |
| M-1SB-G1     | 00845384015635 | 1 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384015635   |
| M-1SDC-G1    | 00845384015642 | 1 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384015642   |
| S-1B-C-G1    | 00845384015666 | 1 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384015666   |
| S-15DRMC-G1  | 00845384015703 | 1.5 mm x 7.5 mm Cylindrical Carbide Drum. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384015703   |
| S-5AC        | 00845384008132 | 5 mm Fluted Acorn. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008132   |
| L-8NSD       | 00845384003311 | 3.2 mm Diamond Matchstick. Use with LONG Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384003311  |
| L-9B         | 00845384003335 | 9 mm Fluted Ball. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003335 |
| L-9DRC       | 00845384003342 | 9 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384003342 |
| L-CRN-S      | 00845384003366 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384003366 |
| M-15D        | 00845384003724 | 1.5 mm Diamond Ball, Extended Length. Use with MEDIUM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384003724 |
| A-CRN-4      | 00845384000174 | 1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384000174 |
| A-CRN-S-4    | 00845384000204 | 2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384000204 |
| ADG-10       | 00845384000235 | 1.0 mm Twist Drill for 1.25 mm Screw. Use with ADG Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384000235 |
| A-CRN        | 00845384000167 | 1.85 mm x 16 mm Fluted Router. Use with CRANI-A Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384000167 |
| QD11-4OVD    | 00845384006107 | 4 mm x 8 mm Diamond Oval. Use with QD11 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384006107 |
| OCM5-1SD     | 00845384017547 | 1 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017547 |
| OCM5-15SD    | 00845384017554 | 1.5 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017554 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| OCM5-1SB    | 00845384017578 | 1 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017578   |
| OCM5-15SB   | 00845384017585 | 1.5 mm Fluted Ball, 5.6 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017585   |
| OCM7-06SD   | 00845384017615 | 0.6 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017615   |
| OCM7-1SD    | 00845384017646 | 1 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017646   |
| OCM7-15SD   | 00845384017653 | 1.5 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017653   |
| OCM7-2SD    | 00845384017660 | 2 mm Diamond Ball, 7.3 cm. Use with OCM Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384017660   |
| OCM7-15SB   | 00845384017684 | 1.5 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017684   |
| OCM7-2SB    | 00845384017691 | 2 mm Fluted Ball, 7.3 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017691   |
| QD8-1SDC    | 00845384006718 | 1 mm Coarse Diamond Ball. Use with QD8 Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384006718  |
| MEDIUM-G1   | 00845384016311 | 8 cm Medium Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016311 |
| LONG-G1     | 00845384016335 | 11 cm Long Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016335 |
| MIA16-G1    | 00845384016359 | 16 cm Minimally Invasive Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016359 |
| QD11-G1     | 00845384016380 | 11 cm QD Angle Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016380 |
| P-CRN-M     | 00845384005803 | 1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384005803 |
| MA-D20-G1   | 00845384016397 | Minimal Access Angle Driver, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016397 |
| CSR60-G1    | 00845384016434 | Perforator Driver, Hudson End, 60:1 Ratio, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016434 |
| QD14-G1     | 00845384016458 | 14 cm QD Angle Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016458 |
| QD11-S-G1   | 00845384016472 | 10.5 cm QD Angle Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016472 |
| S-6DX-20-G1 | 00845384016557 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.     | Anspach (Power Tools) | EA              | <br>(01)00845384016557 |
| M-8NS-ML-G1 | 00845384016564 | 3.2 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016564 |

| Product #     | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|---------------|----------------|--|-----------------------|-----------------|---|
| M-14R-G1      | 00845384016571 | 1.4 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384016571   |
| EG1A          | 00845384017134 | G1 High Speed Electric Handpiece, Air Cooled   | Anspach (Power Tools) | EA              | <br>(01)00845384017134   |
| SC3002        | 00845384017448 | G1 Electric Console, With Irrigation   | Anspach (Power Tools) | EA              | <br>(01)00845384017448   |
| OCM5-06SD     | 00845384017516 | 0.6 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017516   |
| OCM5-08SD     | 00845384017530 | 0.8 mm Diamond Ball, 5.6 cm. Use with OCM Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384017530   |
| S-1203TD-G1   | 00845384015727 | 1.2 mm x 3 mm Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384015727   |
| S-3B-4-G1     | 00845384016014 | 3 mm Fluted Ball, 4-Series, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384016014   |
| M-4B-27-G1    | 00845384016229 | 4 mm Fluted Ball, Extends 27 mm. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384016229   |
| SHORT-G1      | 00845384016298 | 5 cm Short Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384016298  |
| SHORT-HD-G1   | 00845384016304 | 5 cm Heavy Duty Short Attachment, G1   | Anspach (Power Tools) | EA              | <br>(01)00845384016304 |
| S-5B-C-10F-G1 | 00845384015352 | 5 mm Carbide Fluted Ball, 10 Flutes. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384015352 |
| L-4B-C-G1     | 00845384015437 | 4 mm Carbide Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384015437 |
| S-4B          | 00845384008026 | 4 mm Fluted Ball. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008026 |
| S-4B-C        | 00845384008040 | 4 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384008040 |
| S-2D          | 00845384007739 | 2 mm Diamond Ball, Extended Length. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007739 |
| S-3B          | 00845384007876 | 3 mm Fluted Ball, Extended Length. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384007876 |
| S-3DC         | 00845384007913 | 3 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384007913 |
| S-3SD         | 00845384007975 | 3 mm Diamond Ball, Standard Length. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007975 |
| S-25D         | 00845384007661 | 2.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384007661 |
| S-2DC         | 00845384007746 | 2 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384007746 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| S-2B-C    | 00845384007722 | 2 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384007722   |
| S-2SB-C   | 00845384007760 | 2 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384007760   |
| S-2SBT    | 00845384007777 | 2 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384007777   |
| S-2SD-120 | 00845384007791 | 2 mm Diamond Ball, 120/140 Grit, Standard Length. Use with SHORT Attachment.             | Anspach (Power Tools) | EA              | <br>(01)00845384007791   |
| S-35B     | 00845384007821 | 3.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384007821   |
| S-35SD    | 00845384007869 | 3.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384007869   |
| S-3SDC-50 | 00845384008002 | 3 mm Coarse Diamond Ball, 50/60 Grit, Standard Length. Use with SHORT Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384008002   |
| S-4D-L    | 00845384008095 | 4 mm Diamond Ball, Extends 27 mm. Use with SHORT Attachment.                             | Anspach (Power Tools) | EA              | <br>(01)00845384008095   |
| S-4OV     | 00845384008125 | 4 mm x 8 mm Fluted Oval. Use with SHORT Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384008125  |
| M-6B-C-G1 | 00845384015222 | 6 mm Carbide Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384015222 |
| S-4D      | 00845384008071 | 4 mm Diamond Ball. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008071 |
| S-4DC     | 00845384008101 | 4 mm Coarse Diamond Ball. Use with SHORT Attachment.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384008101 |
| S-4DX     | 00845384008118 | 4 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384008118 |
| S-4BT     | 00845384008064 | 4 mm Fluted Ball, Tapered. Use with SHORT Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384008064 |
| S-4D-100  | 00845384008088 | 4 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.                              | Anspach (Power Tools) | EA              | <br>(01)00845384008088 |
| S-2SD     | 00845384007784 | 2 mm Diamond Ball, Standard Length. Use with SHORT Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384007784 |
| S-4BL-C   | 00845384008057 | 4 mm Carbide Fluted Ball, Extends 27 mm. Use with SHORT Attachment.                      | Anspach (Power Tools) | EA              | <br>(01)00845384008057 |
| S-35DC    | 00845384007845 | 3.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384007845 |
| S-3D      | 00845384007906 | 3 mm Diamond Ball, Extended Length. Use with SHORT Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384007906 |
| S-25SB    | 00845384007685 | 2.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384007685 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| S-25SD    | 00845384007692 | 2.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384007692   |
| S-25SDC   | 00845384007708 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384007708   |
| S-2B      | 00845384007715 | 2 mm Fluted Ball, Extended Length. Use with SHORT Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384007715   |
| S-2SB     | 00845384007753 | 2 mm Fluted Ball, Standard Length. Use with SHORT Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384007753   |
| S-2SDC    | 00845384007807 | 2 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007807   |
| S-2SDCT   | 00845384007814 | 2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384007814   |
| S-35D     | 00845384007838 | 3.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384007838   |
| S-35SB    | 00845384007852 | 3.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384007852   |
| S-3B-C    | 00845384007890 | 3 mm Carbide Fluted Ball, Extended Length. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007890  |
| S-3SB     | 00845384007920 | 3 mm Fluted Ball, Standard Length. Use with SHORT Attachment.                  | Anspach (Power Tools) | EA              | <br>(01)00845384007920 |
| S-3SB-C   | 00845384007944 | 3 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007944 |
| S-3SBT    | 00845384007968 | 3 mm Fluted Ball, Tapered, Standard Length. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007968 |
| S-3SD-100 | 00845384007982 | 3 mm Diamond Ball, 100/120 Grit, Standard Length. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007982 |
| S-3SDC    | 00845384007999 | 3 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007999 |
| S-3SDCT   | 00845384008019 | 3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384008019 |
| S-4B-4    | 00845384008033 | 4 mm Fluted Ball, 4-Series. Use with SHORT Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384008033 |
| S-15SD    | 00845384007500 | 1.5 mm Diamond Ball, Standard Length. Use with SHORT Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384007500 |
| S-15B     | 00845384007456 | 1.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.                | Anspach (Power Tools) | EA              | <br>(01)00845384007456 |
| S-05D     | 00845384007357 | 0.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384007357 |
| S-1254TD  | 00845384007395 | Twist Drill for 1.25 mm x 4 mm Screw. Use with SHORT Attachment.               | Anspach (Power Tools) | EA              | <br>(01)00845384007395 |

| Product #  | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|---|-----------------------|-----------------|---|
| S-1510TD   | 00845384007449 | 1.55 mm x 10 mm Fluted Twist Drill. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007449   |
| S-15D      | 00845384007463 | 1.5 mm Diamond Ball, Extended Length. Use with SHORT Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384007463   |
| S-15DC     | 00845384007470 | 1.5 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384007470   |
| S-1B       | 00845384007524 | 1 mm Fluted Ball, Extended Length. Use with SHORT Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384007524   |
| S-1DC      | 00845384007555 | 1 mm Coarse Diamond Ball, Extended Length. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007555   |
| S-1R       | 00845384007562 | 1.4 mm x 12.8 mm Fluted Router. Use with SHORT Attachment.              | Anspach (Power Tools) | EA              | <br>(01)00845384007562   |
| S-1SB      | 00845384007586 | 1 mm Fluted Ball, Standard Length. Use with SHORT Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384007586   |
| S-2006TD   | 00845384007630 | Twist Drill for 2.0 mm x 6 mm Screw. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007630   |
| S-2433TD   | 00845384007647 | 2.4 mm x 3.3 mm Twist Drill. Use with SHORT Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384007647  |
| S-25B      | 00845384007654 | 2.5 mm Fluted Ball, Extended Length. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007654 |
| S-1D       | 00845384007548 | 1 mm Diamond Ball, Extended Length. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384007548 |
| S-1SDC     | 00845384007616 | 1 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007616 |
| S-06SD     | 00845384007364 | 0.6 mm Diamond Ball, Standard Length. Use with SHORT Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384007364 |
| S-08SD     | 00845384007371 | 0.8 mm Diamond Ball, Standard Length. Use with SHORT Attachment.        | Anspach (Power Tools) | EA              | <br>(01)00845384007371 |
| S-1203TD   | 00845384007388 | 1.2 mm x 3 mm Twist Drill. Use with SHORT Attachment.                   | Anspach (Power Tools) | EA              | <br>(01)00845384007388 |
| S-1504TD   | 00845384007418 | Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007418 |
| S-1506TD   | 00845384007425 | Twist Drill for 1.5 mm x 6 mm Screw. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007425 |
| S-1506TD-M | 00845384007432 | 1.5 mm x 6 mm Fluted Twist Drill. Use with SHORT Attachment.            | Anspach (Power Tools) | EA              | <br>(01)00845384007432 |
| S-15SB     | 00845384007494 | 1.5 mm Fluted Ball, Standard Length. Use with SHORT Attachment.         | Anspach (Power Tools) | EA              | <br>(01)00845384007494 |
| S-15SDC    | 00845384007517 | 1.5 mm Coarse Diamond Ball, Standard Length. Use with SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384007517 |

| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| S-1SD        | 00845384007609 | 1 mm Diamond Ball, Standard Length. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384007609   |
| S-2004TD     | 00845384007623 | Twist Drill for 2.0 mm x 4 mm Screw. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384007623   |
| OCM-G1       | 00845384017721 | Otologic Curved Micro (OCM) Attachment, G1  | Anspach (Power Tools) | EA              | <br>(01)00845384017721   |
| MIA16-4B-G1  | 00845384014355 | 4 mm Fluted Ball. Use with MIA16-G1, MIA16 Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014355   |
| MIA16-8NS-G1 | 00845384014409 | 3 mm Fluted Matchstick. Use with MIA16-G1, MIA16 Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014409   |
| S-3SDCT-G1   | 00845384014416 | 3 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014416   |
| S-8ND-G1     | 00845384014508 | 2.5 mm Diamond Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384014508   |
| S-25SDC-G1   | 00845384014539 | 2.5 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014539   |
| XLHD-25R-G1  | 00845384014546 | 2.15 mm x 25.4 mm Fluted Router. Use with XL-HD-G1, XL-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384014546  |
| L-1SB-G1     | 00845384014553 | 1 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384014553 |
| M-1D-G1      | 00845384014577 | 1 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384014577 |
| S-2SDCT-G1   | 00845384014089 | 2 mm Coarse Diamond Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014089 |
| SHD-25DD-G1  | 00845384014119 | 25.4 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014119 |
| SHD-25R-G1   | 00845384014126 | 2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384014126 |
| M-8N-18-G1   | 00845384014133 | 1.8 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384014133 |
| S-15SB-G1    | 00845384014140 | 1.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384014140 |
| S-15DC-G1    | 00845384014157 | 1.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014157 |
| M-6DC-G1     | 00845384014195 | 6 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384014195 |
| S-4BT-G1     | 00845384014324 | 4 mm Fluted Ball, Tapered. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384014324 |
| L-7B-G1      | 00845384013556 | 7 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384013556 |



| Product #  | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|--|-----------------------|-----------------|---|
| SHD-7B-G1  | 00845384013563 | 7 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013563   |
| M-7AC-G1   | 00845384013570 | 7 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384013570   |
| MHD-8NS-G1 | 00845384013358 | 3 mm Fluted Matchstick. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384013358   |
| L-5OV-G1   | 00845384013600 | 5 mm x 10 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384013600   |
| S-5B-C-G1  | 00845384013624 | 5 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384013624   |
| M-4OV-G1   | 00845384013631 | 4 mm x 8 mm Fluted Oval. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384013631   |
| L-4DX-G1   | 00845384013648 | 4 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384013648   |
| M-8NSD-G1  | 00845384013716 | 3.2 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013716   |
| A-CRN-M-G1 | 00845384013723 | 2 mm x 15.6 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384013723  |
| M-8ND-G1   | 00845384013761 | 2.5 mm Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013761 |
| P-CRN-M-G1 | 00845384013792 | 1.3 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384013792 |
| S-8B-G1    | 00845384013822 | 8 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                            | Anspach (Power Tools) | EA              | <br>(01)00845384013822 |
| S-7B-C-G1  | 00845384013853 | 7 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384013853 |
| M-5DRM-G1  | 00845384013907 | 5 mm x 8.4 mm Fluted Drum. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013907 |
| S-4D-L-G1  | 00845384013938 | 4 MM DIAMOND BALL, USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                           | Anspach (Power Tools) | EA              | <br>(01)00845384013938 |
| SHD-8NS-G1 | 00845384013952 | 3 mm Fluted Matchstick. Use with SHORT-HD-G1, SHORT-HD Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384013952 |
| S-3SBT-G1  | 00845384013969 | 3 mm Fluted Ball, Tapered, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013969 |
| S-3SB-C-G1 | 00845384014010 | 3 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384014010 |
| S-35SD-G1  | 00845384014034 | 3.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014034 |
| S-35DC-G1  | 00845384014041 | 3.5 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014041 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| M-2D-G1      | 00845384014072 | 2 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384014072   |
| M-3SDC-G1    | 00845384013396 | 3 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384013396   |
| L-8NSD-G1    | 00845384013402 | 3.2 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384013402   |
| M-2SB-G1     | 00845384013426 | 2 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384013426   |
| S-25D-G1     | 00845384013440 | 2.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384013440   |
| A-CRN-S-4-G1 | 00845384013457 | 2.15 mm x 22 mm Fluted Spiral Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013457   |
| S-15SD-G1    | 00845384013518 | 1.5 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384013518   |
| M-1R-G1      | 00845384013525 | 1.2 mm x 12.8 mm Fluted Router. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                     | Anspach (Power Tools) | EA              | <br>(01)00845384013525   |
| S-9B-G1      | 00845384013549 | 9 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013549  |
| S-2DC-G1     | 00845384012849 | 2 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384012849 |
| L-CRN-G1     | 00845384012856 | 2.5 mm x 25.4 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012856 |
| SHD-6R-G1    | 00845384012887 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD-G1, SHORT-HD Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384012887 |
| S-1504TD-G1  | 00845384012894 | Twist Drill for 1.5 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                     | Anspach (Power Tools) | EA              | <br>(01)00845384012894 |
| M-7B-G1      | 00845384012924 | 7 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384012924 |
| SHD-75AC-G1  | 00845384012931 | 7.5 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384012931 |
| M-6DX-G1     | 00845384012979 | 6 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                     | Anspach (Power Tools) | EA              | <br>(01)00845384012979 |
| S-6DX-G1     | 00845384012986 | 6 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                          | Anspach (Power Tools) | EA              | <br>(01)00845384012986 |
| S-6DC-G1     | 00845384013013 | 6 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                                | Anspach (Power Tools) | EA              | <br>(01)00845384013013 |
| M-5DC-G1     | 00845384013037 | 5 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                           | Anspach (Power Tools) | EA              | <br>(01)00845384013037 |
| L-5DC-G1     | 00845384013044 | 5 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                               | Anspach (Power Tools) | EA              | <br>(01)00845384013044 |

| Product #    | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|-----------------------|-----------------|---|
| M-4DX-G1     | 00845384013051 | 4 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013051   |
| M-4DC-G1     | 00845384013075 | 4 mm Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384013075   |
| M-3SD-G1     | 00845384013099 | 3 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384013099   |
| L-8NS-M-C-G1 | 00845384013105 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013105   |
| MHD-15C-G1   | 00845384013112 | 3.2 mm Fluted Carbide Side Cutter. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                            | Anspach (Power Tools) | EA              | <br>(01)00845384013112   |
| L-CRN-S-G1   | 00845384013136 | 2.47 mm x 30.3 mm Fluted Spiral Router. Use with CRANI-L-G1, CRANI-L Attachments.                           | Anspach (Power Tools) | EA              | <br>(01)00845384013136   |
| M-8N-G1      | 00845384013150 | 2.3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384013150   |
| S-8N-G1      | 00845384013167 | 2.3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384013167   |
| A-CRN-4-G1   | 00845384013204 | 1.85 mm x 16 mm Fluted Router, 4-Series. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013204  |
| L-6DX-20-G1  | 00845384013259 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384013259 |
| L-6DX-G1     | 00845384013266 | 6 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384013266 |
| S-6B-C-G1    | 00845384013273 | 6 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384013273 |
| L-5DRM-G1    | 00845384013280 | 5 mm x 8.4 mm Fluted Drum. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384013280 |
| S-4DX-G1     | 00845384012726 | 4 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384012726 |
| M-4D-G1      | 00845384012733 | 4 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                           | Anspach (Power Tools) | EA              | <br>(01)00845384012733 |
| LHD-8NS-G1   | 00845384012757 | 3 mm Fluted Matchstick. Use with LONG-HD-G1, LONG-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384012757 |
| M-3SB-G1     | 00845384012764 | 3 mm Fluted Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384012764 |
| S-3SDC-G1    | 00845384012788 | 3 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384012788 |
| S-2SB-G1     | 00845384012801 | 2 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384012801 |
| S-2B-G1      | 00845384012818 | 2 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384012818 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| S-5DC-22     | 00845384011736 | 5 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.                               | Anspach (Power Tools) | EA              | <br>(01)00845384011736   |
| E-FP-DIR/IRR | 00845384011743 | Electric Systems Foot Control With Direction and Irrigation  | Anspach (Power Tools) | EA              | <br>(01)00845384011743   |
| E-FP         | 00845384011767 | Electric Systems Foot Control  | Anspach (Power Tools) | EA              | <br>(01)00845384011767   |
| QD11-3BA-A   | 00845384012009 | 3 mm x 11.3 mm Fluted Barrel, 14 Flutes. Use with QD11 Attachment.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384012009   |
| L-580V       | 00845384012030 | 5 mm x 8 mm Fluted Oval. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384012030   |
| S-15DCT      | 00845384012153 | 1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with SHORT Attachment.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012153   |
| L-5B-G1      | 00845384012443 | 5 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384012443   |
| M-4B-G1      | 00845384012474 | 4 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012474   |
| S-4D-G1      | 00845384012498 | 4 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384012498  |
| L-8NS-M-G1   | 00845384012511 | 3 mm Fluted Matchstick, Less Aggressive. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384012511 |
| L-8NS-G1     | 00845384012528 | 3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384012528 |
| M-8NS-G1     | 00845384012535 | 3 mm Fluted Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384012535 |
| S-8NS-G1     | 00845384012542 | 3 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384012542 |
| S-2D-G1      | 00845384012580 | 2 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384012580 |
| A-CRN-S-G1   | 00845384012597 | 2.15 mm x 22 mm Fluted Spiral Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384012597 |
| S-7B-G1      | 00845384012658 | 7 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                              | Anspach (Power Tools) | EA              | <br>(01)00845384012658 |
| S-5DX-G1     | 00845384012689 | 5 mm Extra Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384012689 |
| S-5D-G1      | 00845384012696 | 5 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384012696 |
| S-5DC-G1     | 00845384012719 | 5 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384012719 |
| XLHD-25R     | 00845384010647 | 2.15 mm x 25.4 mm Fluted Router. Use with XL-HD Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384010647 |

| Product #    | UDI-DI         | Product Desc  | Company                  | Unit of Measure | UDI Barcode   |
|--------------|----------------|---|--------------------------|-----------------|---|
| XM-CASE      | 00845384010784 | XMax Sterilization Case and Tray  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010784   |
| QD11-45DRMDX | 00845384011026 | 4 mm x 5 mm Extra Coarse Diamond Drum. Use with QD11 Attachment.                        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011026   |
| L-6B-4       | 00845384011149 | 6 mm Fluted Ball, 4-Series. Use with LONG Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011149   |
| L-CRN-S-4    | 00845384011156 | 2.47 mm x 30.3 mm Fluted Spiral Router, 4 Series. Use with CRANI-L Attachment.          | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011156   |
| M-3SB-4      | 00845384011163 | 3 mm Fluted Ball, 4 Series, Standard Length. Use with MEDIUM Attachment.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011163   |
| L-4B-C       | 00845384011200 | 4 mm Carbide Fluted Ball. Use with LONG Attachment.                                     | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011200   |
| M-5B-C       | 00845384011569 | 5 mm Carbide Fluted Ball. Use with MEDIUM Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011569   |
| L-8NS-M-C    | 00845384011583 | 3 mm Carbide Fluted Matchstick, Less Aggressive. Use with LONG Attachment.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011583   |
| M-6DX-20     | 00845384011590 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with MEDIUM Attachment.                 | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011590  |
| S-3SDC-22    | 00845384011712 | 3 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011712 |
| S-4DC-22     | 00845384011729 | 4 mm Coarse Diamond Ball, 22 mm Shaft Exposure. Use with SHORT Attachment.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011729 |
| S-6P-G1      | 00845384015123 | 6 mm x 9 mm Fluted Pear. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384015123 |
| S-8ND        | 00845384008460 | 2.5 mm Diamond Matchstick. Use with SHORT Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008460 |
| S-8NSD       | 00845384008491 | 3.2 mm Diamond Matchstick. Use with SHORT Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008491 |
| S-9B         | 00845384008514 | 9 mm Fluted Ball. Use with SHORT Attachment.  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008514 |
| SHD-25R      | 00845384008651 | 2.15 mm x 25.4 mm Fluted Router. Use with SHORT-HD Attachment.                          | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008651 |
| SHD-6DX      | 00845384008729 | 6 mm Extra Coarse Diamond Ball. Use with SHORT-HD Attachment.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008729 |
| SHD-8NS      | 00845384008767 | 3 mm Fluted Matchstick. Use with SHORT-HD Attachment.                                   | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008767 |
| SHD-9AC      | 00845384008774 | 9.2 mm Fluted Acorn. Use with SHORT-HD Attachment.                                      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384008774 |
| M-5B-C-G1    | 00845384014850 | 5 mm Carbide Fluted Ball Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384014850 |

| Product #    | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|--------------|----------------|--|-----------------------|-----------------|---|
| L-CRN-S-4-G1 | 00845384014928 | 2.47 mm x 30.3 mm Fluted Spiral Router, 4-Series. Use with CRANI-L-G1, CRANI-L Attachments.          | Anspach (Power Tools) | EA              | <br>(01)00845384014928   |
| MHD-25R-G1   | 00845384014935 | 2.15 mm x 25.4 mm Fluted Router. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384014935   |
| S-5B-C       | 00845384008170 | 5 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384008170   |
| S-5DC        | 00845384008200 | 5 mm Coarse Diamond Ball. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008200   |
| S-5DX        | 00845384008224 | 5 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008224   |
| S-68DRMDC    | 00845384008231 | 6.8 mmx 10.6 mm Coarse Diamond Drum. Use with SHORT Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384008231   |
| S-68DRMDX    | 00845384008248 | 6.8 mmx 10.6 mm Extra Coarse Diamond Drum. Use with SHORT Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384008248   |
| S-6B-C       | 00845384008286 | 6 mm Carbide Fluted Ball, Standard Length. Use with SHORT Attachment.                                | Anspach (Power Tools) | EA              | <br>(01)00845384008286   |
| S-6IP        | 00845384008330 | 6 mm x 11.8 mm Fluted Pear, Inverted. Use with SHORT Attachment.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384008330  |
| S-6P         | 00845384008347 | 6 mm x 9 mm Fluted Pear. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008347 |
| S-8B         | 00845384008415 | 8 mm Fluted Ball. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008415 |
| S-8N-18      | 00845384008446 | 1.8 mm Fluted Matchstick. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008446 |
| S-8N-L       | 00845384008453 | 2.3 mm Fluted Matchstick, Extends 22 mm. Use with SHORT Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384008453 |
| S-1SB-C-G1   | 00845384014584 | 1 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014584 |
| MHD-17DD-G1  | 00845384014591 | 17 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384014591 |
| SHD-17DD-G1  | 00845384014607 | 17 mm Diamond Disc. Use with SHORT-HD-G1, SHORT-HD Attachments.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384014607 |
| L-1R-G1      | 00845384014638 | 1.2 mm x 12.8 mm Fluted Router. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384014638 |
| S-8DC-G1     | 00845384014690 | 8 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384014690 |
| L-6DC-G1     | 00845384014744 | 6 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384014744 |
| LHD-64DRM-G1 | 00845384014768 | 6.4 mm Fluted Drum. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384014768 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| S-2SB-C-G1  | 00845384014096 | 2 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384014096   |
| MHD-25DD-G1 | 00845384014102 | 25.4 mm Diamond Disc. Use with MEDIUM-HD-G1, MEDIUM-HD Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384014102   |
| S-4OV-G1    | 00845384014287 | 4 mm x 8 mm Fluted Oval. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384014287   |
| M-3DC-G1    | 00845384014423 | 3 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014423   |
| M-2DC-G1    | 00845384014478 | 2 mm Coarse Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014478   |
| S-2B-C-G1   | 00845384014485 | 2 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384014485   |
| S-25B-G1    | 00845384014492 | 2.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384014492   |
| M-1SD-G1    | 00845384014560 | 1 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384014560   |
| M-3D-G1     | 00845384013990 | 3 mm Diamond Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384013990  |
| L-3SDC-G1   | 00845384014003 | 3 mm Coarse Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.     | Anspach (Power Tools) | EA              | <br>(01)00845384014003 |
| L-2SB-G1    | 00845384014058 | 2 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384014058 |
| M-2B-G1     | 00845384014065 | 2 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384014065 |
| L-8NSDC-G1  | 00845384013419 | 3.2 mm Coarse Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013419 |
| M-2SD-G1    | 00845384013433 | 2 mm Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.        | Anspach (Power Tools) | EA              | <br>(01)00845384013433 |
| S-1SB-G1    | 00845384013464 | 1 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384013464 |
| S-1SD-G1    | 00845384013471 | 1 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384013471 |
| S-1SDC-G1   | 00845384013488 | 1 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384013488 |
| S-15B-G1    | 00845384013501 | 1.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013501 |
| S-05D-G1    | 00845384013532 | 0.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384013532 |
| LHD-6AC-G1  | 00845384013587 | 6 mm Fluted Acorn. Use with LONG-HD-G1, LONG-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013587 |

| Product #  | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|------------|----------------|---|-----------------------|-----------------|---|
| L-6D-G1    | 00845384013594 | 6 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384013594   |
| L-4DC-G1   | 00845384013655 | 4 mm Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                      | Anspach (Power Tools) | EA              | <br>(01)00845384013655   |
| S-4BL-C-G1 | 00845384013662 | 4 MM CARBIDE FLUTED BALL,USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.                        | Anspach (Power Tools) | EA              | <br>(01)00845384013662   |
| S-4B-C-G1  | 00845384013679 | 4 mm Carbide Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384013679   |
| S-3B-C-G1  | 00845384013686 | 3 mm Carbide Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.      | Anspach (Power Tools) | EA              | <br>(01)00845384013686   |
| S-35B-G1   | 00845384013693 | 3.5 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013693   |
| S-35D-G1   | 00845384013709 | 3.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384013709   |
| L-2SD-G1   | 00845384013730 | 2 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013730   |
| M-2SDC-G1  | 00845384013747 | 2 mm Coarse Diamond Ball, Standard Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013747  |
| S-25SB-G1  | 00845384013754 | 2.5 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013754 |
| P-CRN-4-G1 | 00845384013785 | 1.4 mm x 12.8 mm Fluted Router, 4-Series. Use with CRANI-P-G1, CRANI-P Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384013785 |
| L-7AC-G1   | 00845384013846 | 7 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384013846 |
| SHD-6B-G1  | 00845384013877 | 6 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384013877 |
| M-5DX-G1   | 00845384013921 | 5 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013921 |
| L-3SB-G1   | 00845384013365 | 3 mm Fluted Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384013365 |
| M-3B-G1    | 00845384013372 | 3 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384013372 |
| L-3SD-G1   | 00845384013389 | 3 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.            | Anspach (Power Tools) | EA              | <br>(01)00845384013389 |
| S-1D-G1    | 00845384012863 | 1 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.             | Anspach (Power Tools) | EA              | <br>(01)00845384012863 |
| S-15D-G1   | 00845384012870 | 1.5 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384012870 |
| S-9AC-G1   | 00845384012900 | 9.2 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                            | Anspach (Power Tools) | EA              | <br>(01)00845384012900 |










| Product #   | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|--|-----------------------|-----------------|---|
| SHD-9AC-G1  | 00845384012917 | 9.2 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.                                     | Anspach (Power Tools) | EA              | <br>(01)00845384012917   |
| L-6B-G1     | 00845384012948 | 6 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012948   |
| SHD-6AC-G1  | 00845384012962 | 6 mm Fluted Acorn. Use with SHORT-HD-G1, SHORT-HD Attachments.                                       | Anspach (Power Tools) | EA              | <br>(01)00845384012962   |
| S-6D-G1     | 00845384012993 | 6 mm Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384012993   |
| M-6D-G1     | 00845384013006 | 6 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384013006   |
| L-5D-G1     | 00845384013020 | 5 mm Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384013020   |
| L-4D-G1     | 00845384013068 | 4 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384013068   |
| S-8NS-M-G1  | 00845384013082 | 3 MM FLUTED MATCHSTICK, LESS AGGRESSIVE. USE WITH QD8-G1, SHORT-G1, QD8, QD8-S, SHORT ATTACHMENTS.   | Anspach (Power Tools) | EA              | <br>(01)00845384013082   |
| L-8ND-G1    | 00845384013129 | 2.5 mm Diamond Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384013129  |
| L-8N-G1     | 00845384013143 | 2.3 mm Fluted Matchstick. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384013143 |
| S-1B-G1     | 00845384013174 | 1 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach (Power Tools) | EA              | <br>(01)00845384013174 |
| S-1DC-G1    | 00845384013181 | 1 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384013181 |
| S-8N-18-G1  | 00845384013198 | 1.8 mm Fluted Matchstick. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384013198 |
| S-1506TD-G1 | 00845384013211 | Twist Drill for 1.5 mm x 6 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.       | Anspach (Power Tools) | EA              | <br>(01)00845384013211 |
| L-9B-G1     | 00845384013228 | 9 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384013228 |
| SHD-5B-G1   | 00845384013303 | 5 mm Fluted Ball. Use with SHORT-HD-G1, SHORT-HD Attachments.  | Anspach (Power Tools) | EA              | <br>(01)00845384013303 |
| L-5AC-G1    | 00845384013310 | 5 mm Fluted Acorn. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384013310 |
| S-5AC-G1    | 00845384013327 | 5 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                         | Anspach (Power Tools) | EA              | <br>(01)00845384013327 |
| L-5DX-G1    | 00845384013334 | 5 mm Extra Coarse Diamond Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384013334 |
| S-4B-4-G1   | 00845384013341 | 4 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384013341 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| S-1510TD-G1 | 00845384012610 | 1.55 mm x 10 mm Fluted Twist Drill. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384012610   |
| S-1R-G1     | 00845384012627 | 1.4 mm x 12.8 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384012627   |
| P-CRN-G1    | 00845384012634 | 1.4 mm x 12.8 mm Fluted Router. Use with CRANI-P-G1, CRANI-P Attachments.                               | Anspach (Power Tools) | EA              | <br>(01)00845384012634   |
| S-6R-G1     | 00845384012641 | 1.12 mm x 6.35 mm Fluted Router. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.              | Anspach (Power Tools) | EA              | <br>(01)00845384012641   |
| M-6B-G1     | 00845384012665 | 6 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                        | Anspach (Power Tools) | EA              | <br>(01)00845384012665   |
| S-6AC-G1    | 00845384012672 | 6 mm Fluted Acorn. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                            | Anspach (Power Tools) | EA              | <br>(01)00845384012672   |
| M-5D-G1     | 00845384012702 | 5 mm Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                       | Anspach (Power Tools) | EA              | <br>(01)00845384012702   |
| M-8NS-M-G1  | 00845384012740 | 3 mm Fluted Matchstick, Less Aggressive. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384012740   |
| S-3SD-G1    | 00845384012771 | 3 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384012771  |
| S-3DC-G1    | 00845384012795 | 3 mm Coarse Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.    | Anspach (Power Tools) | EA              | <br>(01)00845384012795 |
| S-2SD-G1    | 00845384012825 | 2 mm Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.           | Anspach (Power Tools) | EA              | <br>(01)00845384012825 |
| S-2SDC-G1   | 00845384012832 | 2 mm Coarse Diamond Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.    | Anspach (Power Tools) | EA              | <br>(01)00845384012832 |
| L-3SB-4     | 00845384011118 | 3 mm Fluted Ball, 4-Series, Standard Length. Use with LONG Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384011118 |
| L-4B-4      | 00845384011125 | 4 mm Fluted Ball, 4-Series. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384011125 |
| L-5B-4      | 00845384011132 | 5 mm Fluted Ball, 4-Series. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384011132 |
| S-2SB-4     | 00845384011170 | 2 mm Fluted Ball 4 Series, Standard Length. Use with SHORT Attachment.                                  | Anspach (Power Tools) | EA              | <br>(01)00845384011170 |
| S-8N-18-4   | 00845384011187 | 1.8 mm Fluted Matchstick, 4 Series. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384011187 |
| L-8DX       | 00845384011255 | 8 mm Extra Coarse Diamond Ball. Use with LONG Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384011255 |
| QD8-5B-2    | 00845384011538 | 5 mm Fluted Ball, 2 mm Shaft Exposure. Use with QD8 Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384011538 |
| E-FP-DIR    | 00845384011750 | Electric Systems Foot Control With Direction Only   | Anspach (Power Tools) | EA              | <br>(01)00845384011750 |

| Product #     | UDI-DI         | Product Desc  | Company                  | Unit of Measure | UDI Barcode   |
|---------------|----------------|---|--------------------------|-----------------|---|
| XLHD-95DRM    | 00845384010760 | 9.5 mm Fluted Drum. Use with XL-HD Attachment.                                      | Anspach<br>(Power Tools) | EA              | <br>(01)00845384010760   |
| MA19-4D       | 00845384011903 | 4 mm Diamond Ball, 19 cm. Use with MA-19 Bearing Sleeves.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011903   |
| MA-19ST       | 00845384011958 | Bearing Sleeve, 19 cm Straight. Use with Minimal Access Attachments.                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384011958   |
| L-56OV        | 00845384012023 | 5 mm x 6 mm Fluted Oval. Use with LONG Attachment.                                  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012023   |
| M-56OV        | 00845384012047 | 5 mm x 6 mm Fluted Oval. Use with MEDIUM Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012047   |
| M-58OV        | 00845384012054 | 5 mm x 8 mm Fluted Oval. Use with MEDIUM Attachment.                                | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012054   |
| L-6DX-20      | 00845384012160 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with LONG Attachment.               | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012160   |
| L-8BA         | 00845384012214 | 8 mm x 12.5 mm Fluted Barrel. Use with LONG Attachment.                             | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012214   |
| M-8BA         | 00845384012221 | 8 mm x 12.5 mm Fluted Barrel. Use with MEDIUM Attachment.                           | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012221  |
| HK-2100-02-FP | 00845384012269 | Shipping Plug, Red, for Autolube, 5pk (REPLACEMENT PART)                            | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012269 |
| AL-9152-00-FP | 00845384012290 | Oil Fill Cap for Autolube (REPLACEMENT PART)  | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012290 |
| S-4DX-20      | 00845384012368 | 4 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012368 |
| S-6DX-20      | 00845384012375 | 6 mm Extra Coarse Diamond Ball, 20/30 Grit. Use with SHORT Attachment.              | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012375 |
| MHD-9B        | 00845384012412 | 9 mm Fluted Ball. Use with MEDIUM-HD Attachment.                                    | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012412 |
| S-6B-G1       | 00845384012429 | 6 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012429 |
| S-5B-G1       | 00845384012436 | 5 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012436 |
| M-5B-G1       | 00845384012450 | 5 mm Fluted Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.    | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012450 |
| S-4B-G1       | 00845384012467 | 4 mm Fluted Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.         | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012467 |
| L-4B-G1       | 00845384012481 | 4 mm Fluted Ball. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.        | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012481 |
| S-4DC-G1      | 00845384012504 | 4 mm Coarse Diamond Ball. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach<br>(Power Tools) | EA              | <br>(01)00845384012504 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| S-3SB-G1    | 00845384012559 | 3 mm Fluted Ball, Standard Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384012559   |
| S-3B-G1     | 00845384012566 | 3 mm Fluted Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                    | Anspach (Power Tools) | EA              | <br>(01)00845384012566   |
| S-3D-G1     | 00845384012573 | 3 mm Diamond Ball, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384012573   |
| A-CRN-G1    | 00845384012603 | 1.85 mm x 16 mm Fluted Router. Use with CRANI-A-G1, CRANI-A-R-G1, CRANI-A, CRANI-A-R Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384012603   |
| M-7DX-G1    | 00845384015086 | 7 mm Extra Coarse Diamond Ball. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384015086   |
| S-6B-4-G1   | 00845384015161 | 6 mm Fluted Ball, 4-Series. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                           | Anspach (Power Tools) | EA              | <br>(01)00845384015161   |
| XLHD-6B-G1  | 00845384015192 | 6 mm Fluted Ball. Use with XL-HD-G1, XL-HD Attachments.   | Anspach (Power Tools) | EA              | <br>(01)00845384015192   |
| SHD-7B      | 00845384008750 | 7 mm Fluted Ball. Use with SHORT-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008750   |
| SHD-DS-A    | 00845384008781 | 1.7 mm x 11.9 mm Twist Drill with Depth Stop, Aesculap. Use with SHORT-HD Attachment.                           | Anspach (Power Tools) | EA              | <br>(01)00845384008781  |
| L-4OV-G1    | 00845384014874 | 4 mm x 8 mm Fluted Oval. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                             | Anspach (Power Tools) | EA              | <br>(01)00845384014874 |
| M-8NSDC-G1  | 00845384014911 | 3.2 mm Coarse Diamond Matchstick. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                | Anspach (Power Tools) | EA              | <br>(01)00845384014911 |
| M-1B-G1     | 00845384014942 | 1 mm Fluted Ball, Extended Length. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.               | Anspach (Power Tools) | EA              | <br>(01)00845384014942 |
| L-1SD-G1    | 00845384014959 | 1 mm Diamond Ball, Standard Length. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments.                  | Anspach (Power Tools) | EA              | <br>(01)00845384014959 |
| S-15DCT-G1  | 00845384014980 | 1.5 mm Coarse Diamond Ball, Tapered, Extended Length. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014980 |
| S-1254TD-G1 | 00845384015000 | Twist Drill for 1.25 mm x 4 mm Screw. Use with QD8-G1, SHORT-G1, QD8, QD8-S, SHORT Attachments.                 | Anspach (Power Tools) | EA              | <br>(01)00845384015000 |
| S-6B-4      | 00845384008279 | 6 mm Fluted Ball, 4-Series. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008279 |
| S-6D        | 00845384008293 | 6 mm Diamond Ball. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008293 |
| S-6D-100    | 00845384008309 | 6 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008309 |
| S-6DX       | 00845384008323 | 6 mm Extra Coarse Diamond Ball. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008323 |
| S-6PD       | 00845384008354 | 6 mm x 9 mm Diamond Pear. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008354 |

| Product #   | UDI-DI         | Product Desc  | Company               | Unit of Measure | UDI Barcode   |
|-------------|----------------|---|-----------------------|-----------------|---|
| S-6R        | 00845384008361 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008361   |
| S-7B        | 00845384008378 | 7 mm Fluted Ball. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008378   |
| S-7IP       | 00845384008408 | 7 mm x 13.1 mm Fluted Pear, Inverted. Use with SHORT Attachment.                                    | Anspach (Power Tools) | EA              | <br>(01)00845384008408   |
| S-8DC       | 00845384008422 | 8 mm Coarse Diamond Ball. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008422   |
| S-8N        | 00845384008439 | 2.3 mm Fluted Matchstick. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008439   |
| M-6AC-G1    | 00845384014720 | 6 mm Fluted Acorn. Use with MEDIUM-G1, QD11-G1, MEDIUM, QD11, QD11-S Attachments.                   | Anspach (Power Tools) | EA              | <br>(01)00845384014720   |
| XLHD-51C-G1 | 00845384014775 | 6.4 mm Cylindrical Carbide. Use with XL-HD-G1, XL-HD Attachments.                                   | Anspach (Power Tools) | EA              | <br>(01)00845384014775   |
| L-5DRC-G1   | 00845384014799 | 5 mm x 14 mm Fluted Drum, Side Cut Only. Use with LONG-G1, QD14-G1, LONG, QD14, QD14-S Attachments. | Anspach (Power Tools) | EA              | <br>(01)00845384014799   |
| S-8NS       | 00845384008477 | 3 mm Fluted Matchstick. Use with SHORT Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008477  |
| S-8NS-M     | 00845384008484 | 3 mm Fluted Matchstick, Extends 8.9 mm, Less Aggressive. Use with SHORT Attachment.                 | Anspach (Power Tools) | EA              | <br>(01)00845384008484 |
| S-9AC       | 00845384008507 | 9.2 mm Fluted Acorn. Use with SHORT Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008507 |
| SHD-1504TD  | 00845384008620 | 1.15 mm Twist Drill for 1.5 mm x 4 mm Screw. Use with SHORT-HD Attachment.                          | Anspach (Power Tools) | EA              | <br>(01)00845384008620 |
| SHD-17DD    | 00845384008637 | 17 mm Diamond Disc. Use with SHORT-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008637 |
| SHD-25DD    | 00845384008644 | 25.4 mm Diamond Disc. Use with SHORT-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008644 |
| SHD-3-10    | 00845384008668 | 1.93 mm Suture Pass Drill / 1.17 eye. Use with SHORT-HD Attachment.                                 | Anspach (Power Tools) | EA              | <br>(01)00845384008668 |
| SHD-5B      | 00845384008699 | 5 mm Fluted Ball. Use with SHORT-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008699 |
| SHD-6AC     | 00845384008705 | 6 mm Fluted Acorn. Use with SHORT-HD Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008705 |
| SHD-6B      | 00845384008712 | 6 mm Fluted Ball. Use with SHORT-HD Attachment.   | Anspach (Power Tools) | EA              | <br>(01)00845384008712 |
| SHD-6R      | 00845384008736 | 1.12 mm x 6.35 mm Fluted Router. Use with SHORT-HD Attachment.                                      | Anspach (Power Tools) | EA              | <br>(01)00845384008736 |
| SHD-75AC    | 00845384008743 | 7.5 mm Fluted Acorn. Use with SHORT-HD Attachment.  | Anspach (Power Tools) | EA              | <br>(01)00845384008743 |

| Product # | UDI-DI         | Product Desc   | Company               | Unit of Measure | UDI Barcode   |
|-----------|----------------|--|-----------------------|-----------------|---|
| S-5B-12F  | 00845384008156 | 5 mm Fluted Ball, 12 Flutes. Use with SHORT Attachment.          | Anspach (Power Tools) | EA              | <br>(01)00845384008156 |
| S-5B-4    | 00845384008163 | 5 mm Fluted Ball, 4-Series. Use with SHORT Attachment.           | Anspach (Power Tools) | EA              | <br>(01)00845384008163 |
| S-5D      | 00845384008187 | 5 mm Diamond Ball. Use with SHORT Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384008187 |
| S-5D-100  | 00845384008194 | 5 mm Diamond Ball, 100/120 Grit. Use with SHORT Attachment.      | Anspach (Power Tools) | EA              | <br>(01)00845384008194 |
| S-5DC-40  | 00845384008217 | 5 mm Coarse Diamond Ball, 40/60 Grit. Use with SHORT Attachment. | Anspach (Power Tools) | EA              | <br>(01)00845384008217 |
| S-6AC     | 00845384008255 | 6 mm Fluted Acorn. Use with SHORT Attachment.                    | Anspach (Power Tools) | EA              | <br>(01)00845384008255 |
| S-6B      | 00845384008262 | 6 mm Fluted Ball. Use with SHORT Attachment.                     | Anspach (Power Tools) | EA              | <br>(01)00845384008262 |